

LOCAL CLIMATOLOGICAL DATA

ANNUAL SUMMARY WITH COMPARATIVE DATA, 1967

RICHMOND, VIRGINIA

NARRATIVE CLIMATOLOGICAL SUMMARY

Richmond is located in east-central Virginia at the head of navigation on the James River and along a line separating the Coastal Plains (Tidewater Virginia) from the Piedmont. The Blue Ridge Mountains lie about 90 miles to the west and the Chesapeake Bay 60 miles to the east. Elevations range from a few feet above sea level along the river to a little over 300 feet in parts of the west section of the City.

The climate might be classed as modified continental. Summers are warm and humid and winters generally mild. The mountains to the west act as a partial barrier to outbreaks of cold, continental air in winter, the coldest air being delayed long enough to be modified, then further warmed as it subsides in its approach to Richmond. The open waters of the Chesapeake Bay and Atlantic Ocean contribute to the humid summers and mild winters. The coldest weather normally occurs in late December and in January, when low temperatures usually average in the upper twenties and the high temperatures in the upper forties. Temperatures seldom lower to zero. The record lowest temperature of minus 12° was recorded at the Airport in January 1940. The record high temperature of 107° occurred in August 1918 at Chimborazo Park.

Precipitation is rather uniformly distributed throughout the year. However, dry periods lasting several weeks do occur, especially in autumn when long periods of pleasant, mild weather are most common. There is considerable variability in total monthly amounts from year to year so that no one month can be depended upon to be normal. Snow has been recorded during seven of the twelve months. Falls of 4 inches or more occur on an average of once a year. Snow usually remains on the ground only 1 or 2 days at a time, but on one occasion it remained 21 days

(January 23 to February 13, 1948). Ice storms (freezing rain or glaze) are not uncommon in winter, but they are seldom severe enough to do any considerable damage. A notable exception was the spectacular glaze storm of January 27-28, 1943, when heavy damage was done to trees and overhead transmission lines of all kinds.

The James River reaches tidewater at Richmond where flooding has occurred in every month of the year, most frequently in March (28 times in the past 61 years), and only twice in July. Hurricanes and less severe storms of tropical origin have been responsible for most of the flooding during the summer and early fall months. In recent years, three hurricanes brought more than normal rainfall to Richmond within a 6-week period in 1955. The most noteworthy of these were Hurricanes Connie and Diane that brought heavy rains five days apart, which sent the James River out of its banks at Richmond, during August 18 through August 20.

Damaging storms occur mainly from snow and freezing rain in winter and from hurricanes, tornadoes, and severe thunderstorms at other seasons. Damage may be from wind, flooding, or rain, or from any combination of these. Three tornadoes have been observed in the Richmond area, the latest July 20, 1956. The highest wind recorded has been 68 m.p.h. with a peak gust of 79 m.p.h. at the time of Hurricane Hazel, October 15, 1954.

The dates of the last freeze in spring and of the first in autumn mark the limits of the growing season for most crops. The average growing season is 216 days. May 11, 1966, has been the latest date in spring when a temperature of 32° or lower was recorded; October 5, 1965, has been the earliest date in autumn.



U.S. DEPARTMENT OF COMMERCE
ALEXANDER B. TROWBRIDGE, Secretary
ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
ROBERT M. WHITE, Administrator
ENVIRONMENTAL DATA SERVICE

LATITUDE 37° 30' N
LONGITUDE 77° 20' W
ELEVATION (ground) 164 Feet

METEOROLOGICAL DATA FOR THE CURRENT YEAR

RICHMOND, VIRGINIA
BYRD FIELD
1967

NORMALS, MEANS, AND EXTREMES

Means and extremes in the above table are from the existing or comparable location(s). Annual extremes have been exceeded at other locations as follows: Highest temperature 107 in August 1918; minimum monthly precipitation 0.11 in November 1890 and earlier date(s).

(a) Length of record, years.
(b) Climatological standard normals (1931-1960)

(b) Climatological standard normals (1931-1960).
* Less than one half.

- + Less than one half.
- + Also on earlier date

T Trace, an amount too small to measure

Below-zero temperatures are preceded by minus sign.

The prevailing direction for wind in the Normals.

The prevailing direction of wind in the Normals, Means, and Extremes table is from records

through 1963.

6 To 8 compass points only.

18 & compass points only.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in degrees F.; precipitation, including snowfall, in inches; wind movement in miles per hour; and relative humidity in percent. Degree day totals are the sums of the negative departures of average daily temperatures from 65°F. Sleet was included in snowfall totals beginning with July 1948. Heavy fog reduces visibility to 1/4 mile or less.

& Figures instead of letters in a direction column indicate direction in tens of degrees from true North; i.e., 09-East, 18-South, 27-West, 36-North, and 00-Calm. Resultant wind is the vector sum of wind directions and speeds divided by the number of observations. If figures appear in the direction column under "Fastest mile" the corresponding speeds are fastest observed 1-minute values.

AVERAGE TEMPERATURE

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual
1931	38.3	40.4	41.3	53.4	64.4	72.6	77.8	73.8	79.4	59.8	54.2	41.2	57.6
1932	48.1	46.4	44.3	54.3	63.6	73.8	77.8	76.9	70.0	59.0	45.8	41.2	58.4
1933	44.3	40.3	45.6	56.0	69.1	74.4	75.2	75.7	71.2	57.1	45.0	41.8	58.0
1934	42.6	28.2	42.8	56.3	66.2	76.6	79.7	74.9	71.3	56.3	49.5	38.4	56.9
1935	34.5	38.7	51.9	53.5	62.9	73.6	77.2	75.3	67.6	58.3	51.5	31.6	56.4
1936	31.6	33.7	51.2	53.1	66.5	73.7	79.7	76.5	71.6	59.8	46.3	40.1	57.0
1937	46.0	38.3	43.3	55.3	65.8	76.0	76.8	77.2	66.0	55.0	46.2	38.4	57.0
1938	37.2	43.1	53.6	59.9	64.9	71.6	76.8	78.3	68.4	57.7	49.9	40.3	58.5
1939	41.6	44.8	48.8	56.0	66.9	76.4	75.7	77.1	71.8	59.0	44.8	39.8	58.6
1940	24.2	38.2	43.3	52.4	65.0	74.7	76.0	73.6	66.2	55.8	47.4	42.5	54.9
1941	35.2	34.2	40.8	59.8	66.8	73.0	78.3	75.8	72.2	64.7	48.7	41.9	57.6
1942	34.2	35.2	48.0	58.8	69.5	75.2	79.4	75.2	71.3	60.8	50.0	37.1	57.9
1943	40.0	41.5	47.0	53.9	69.0	79.2	78.5	78.4	68.4	57.3	47.5	38.6	58.3
1944	38.6	40.4	45.2	56.2	71.6	76.4	77.7	75.4	71.2	57.9	48.2	36.1	57.9
1945	34.2	40.8	58.6	61.4	63.9	75.7	76.2	75.2	73.6	57.8	49.6	33.4	58.4
1946	38.0	41.7	53.8	57.2	65.8	72.8	75.4	72.6	60.9	52.9	43.4	35.8	58.8
1947	44.6	33.5	40.0	57.5	67.0	72.2	74.8	78.5	63.7	46.4	38.4	37.2	57.2
1948	31.4	39.8	50.8	57.7	66.3	74.4	78.2	75.7	68.6	56.2	52.9	42.0	57.8
1949	45.2	46.5	48.6	55.7	66.0	75.2	80.1	76.6	67.4	62.5	49.0	42.4	59.6
1950	49.7	40.7	44.4	54.7	65.0	74.2	76.8	75.5	68.2	61.2	47.3	36.1	57.8
1951	40.8	41.3	46.8	56.6	64.6	74.3	78.6	76.0	70.0	61.6	44.7	42.0	58.1
1952	42.4	42.2	46.3	58.1	65.4	76.7	80.4	76.4	69.2	55.2	49.4	39.2	58.5
1953	42.9	43.6	48.3	58.0	71.5	75.2	79.9	77.3	70.0	60.7	48.5	42.5	59.9
1954	38.0	44.9	47.0	61.2	63.0	74.6	78.6	76.8	74.4	62.3	46.1	38.2	58.8
1955	35.8	40.1	50.2	60.8	67.2	70.1	81.3	78.7	70.6	59.5	46.4	34.8	58.0
1956	36.0	43.0	46.3	55.5	65.0	74.7	77.8	76.5	76.7	60.9	47.6	48.9	58.3
1957	35.2	43.3	47.2	61.5	67.8	76.2	78.4	74.6	71.9	54.6	50.3	43.0	58.7
1958	34.6	33.8	42.3	57.5	65.7	71.3	80.2	76.4	69.1	58.7	51.2	33.4	56.2
1959	37.5	41.6	47.3	59.3	69.4	74.8	77.9	79.0	70.8	61.4	47.3	41.6	59.0
1960	38.8	39.3	55.9	61.8	64.9	73.7	76.3	77.5	69.3	57.1	50.1	34.6	56.6
1961	33.5	42.2	50.8	53.0	63.6	72.8	78.5	77.1	73.5	58.1	50.1	37.1	57.5
1962	36.6	39.7	45.0	57.5	70.6	74.0	74.8	74.6	66.2	60.5	47.2	35.1	56.9
1963	35.9	33.3	50.8	59.2	64.0	72.0	76.1	75.7	65.5	58.6	50.1	32.1	56.0
1964	38.1	37.2	47.6	55.4	66.4	73.1	75.8	73.1	67.1	53.4	51.5	42.9	56.8
1965	35.6	38.8	43.0	53.9	69.6	70.7	74.9	75.9	70.7	61.1	48.2	41.3	56.6
1966	31.1	37.7	47.5	52.8	63.1	71.4	76.4	74.6	67.2	55.5	49.5	38.0	55.6
1967	40.9	34.8	46.6	58.8	60.7	72.1	76.6	75.5	65.7	57.2	44.0	41.9	56.2
RECORD	38.2	39.7	46.8	56.8	66.3	74.0	77.6	76.0	69.8	58.6	48.5	39.3	57.6
MEAN	48.0	50.3	58.1	69.1	78.2	85.2	88.0	86.1	80.6	70.6	60.0	49.4	68.6
MAX	28.3	29.0	35.4	44.5	54.3	62.8	67.2	65.9	59.0	46.5	36.9	29.1	46.6
MIN													

TOTAL PRECIPITATION

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual
1938	3.28	1.82	3.72	3.24	4.92	9.24	11.89	0.95	4.41	1.57	2.74	2.74	50.52
1939	3.40	3.98	5.33	5.04	1.39	5.41	5.23	8.34	1.70	4.84	2.18	1.51	46.35
1940	4.16	2.99	2.31	4.22	4.26	4.02	4.45	9.33	2.27	4.29	1.77	1.83	46.20
1941	2.19	1.17	1.97	3.44	1.31	1.83	2.82	3.05	1.23	0.35	0.66	2.89	22.91
1942	5.59	1.03	5.31	0.78	1.11	5.30	3.52	6.61	3.71	6.74	3.31	3.04	42.05
1943	2.87	3.27	3.01	2.11	4.04	3.15	3.87	0.52	5.13	2.90	1.64	1.98	33.25
1944	2.83	5.61	5.85	3.59	1.41	1.42	7.66	6.44	5.50	1.79	3.94	2.26	48.40
1945	2.25	3.57	1.33	3.50	5.09	1.71	18.87	2.92	8.49	0.91	3.09	5.28	57.01
1946	2.16	2.69	2.23	2.59	7.73	6.01	6.64	3.87	4.39	2.36	1.90	2.71	45.28
1947	4.31	1.43	2.22	2.53	6.49	4.48	3.33	1.87	6.38	2.37	7.03	1.56	42.20
1948	4.11	2.66	5.54	4.59	6.42	2.73	4.05	7.75	3.05	3.21	5.74	4.14	53.99
1949	3.26	2.55	2.12	2.22	5.11	3.53	6.34	8.99	2.64	3.87	1.88	1.94	44.45
1950	2.17	1.71	3.20	0.74	4.27	0.99	6.69	3.32	4.04	1.77	1.74	2.73	33.37
1951	1.08	1.90	2.85	2.26	2.51	5.85	2.63	5.23	0.98	2.71	4.52	3.63	36.15
1952	5.71	2.76	5.05	5.32	3.72	4.50	2.71	6.41	2.35	2.04	6.42	3.37	50.36
1953	4.47	3.36	3.95	3.16	2.35	3.06	2.04	0.99	6.84	2.16	1.85	2.94	37.17
1954	3.70	1.56	2.44	3.08	4.33	1.09	1.30	3.95	0.69	4.99	1.86	2.43	31.45
1955	1.09	3.18	2.66	3.14	1.79	3.06	7.93	14.10	5.79	2.57	1.76	0.86	47.93
1956	1.65	3.57	3.06	2.75	4.35	3.28	10.32	2.28	2.96	4.92	6.11	3.98	49.23
1957	3.36	5.29	2.82	2.25	3.75	3.92	1.80	7.46	3.43	5.35	5.30	6.88	50.61
1958	2.96	4.38	3.81	4.35	5.79	6.09	3.27	9.77	1.90	5.35	1.43	4.43	53.53
1959	1.31	1.87	2.92	4.32	2.44	3.45	12.85	5.75	3.30	3.25	7.64	2.24	51.34
1960	2.13	4.56	3.29	3.57	3.59	0.91	7.34	7.20	6.21	3.31	0.85	3.04	46.00
1961	2.57	5.39	4.02	1.73	4.83	6.49	2.85	3.90	1.64	6.78	1.81	5.05	49.06
1962	5.95	2.00	4.81	3.40	4.08	5.57	5.65	2.37	3.46	0.50	6.73	2.64	48.62
1963	1.35	2.98	5.62	0.64	2.17	7.01	3.27	3.75	3.20	6.30	2.80	3.74	37.46
1964	4.46	2.44	2.61	2.71	1.14	2.40	6.36	9.88	2.56	3.62	0.98	4.55	45.93
1965	2.51	2.77	3.68	2.13	0.87	3.39	6.35	0.81	4.61	1.96	0.36	0.72	29.76
1966	4.58	2.80	0.94	2.18	2.58	2.54	4.07	1.31	5.06	6.81	1.31	3.07	36.25
1967	1.50	3.35	2.34	1.32	3.71	3.58	5.00	6.65	1.00	1.76	6.48	37.64	35.8
RECORD	3.03	3.06	3.37	2.84	3.50	3.87	5.62	5.19	3.62	3.07	3.22	3.07	43.46
MEAN													

Record mean values above (not adjusted for instrument location changes listed in the Station Location table) are means for the period beginning in 1930 for temperature and 1938 for precipitation.

A horizontal line drawn on the above tables indicates a break in the data sequence due to a change in instrument exposure or a station move (see Station Location table). Data are from Airport locations.

TOTAL DEGREE DAYS

Season	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Total
1930-31	0	1	5	345	557	906	825	684	718	336	84	13	4474
1931-32	0	4	25	194	328	575	496	580	662	319	111	1	3295
1932-33	0	0	31	209	568	711	627	684	720	249	94	11	3781
1933-34	0	1	26	249	549	712	716	1024	681	265	74	0	4292
1934-35	0	9	31	262	443	81							

STATION LOCATION

RICHMOND, VIRGINIA
BYRD FIELD

Location	Occupied from	Occupied to	Airline distance and direction from previous location	Latitude North	Longitude West	Ground at temperature site	Elevation above						Remarks	
							Sea level	Ground						
						Wind instruments	Extreme thermometers	Psychrometer	Telopsychrometer	Tipping bucket rain gage	8" rain gage	Hygrothermometer	Pyranometer	
<u>COOPERATIVE</u>														
High elevation in East Richmond	1-1880	2-1893				Est. 150		?			?			W. H. Pleasants, exact address unknown.
Near Southern RR Bridge	3-1893	3-1895				Est. 35		?			?			A. J. Duesberry, River Observer, observed temperatures.
Westbrook Farms	4-1895	10-1897	4 mi. N	27° 36'	77° 24'	196		?						Capt. J. C. Shafer, temperatures only.
<u>CITY OFFICE</u>														
State Library Building Capitol Square	9-18-95	5-22-97	4 mi. S	37° 32'	77° 27'	142								Section Center, no observations.
Chamber of Commerce Bldg., Ninth & Main Sts.	5-22-97	5-31-00	3/8 mi. SW	37° 32'	77° 27'	104	107	98	98	89	89			Observational Program begun 10-5-97.
Times Building 10th & Bank Street	5-31-00	6-30-05	1/8 mi. NE	37° 32'	77° 27'	115	92	82	82	76	76			
Mutual Assurance Bldg. 9th and Main Street	6-30-05	1-30-10	1/8 mi. SW			104	154	145	145	138	138			
Weather Bureau Building Chimborazo Park 3301 E Broad Street	1-30-10	7- 1-53	1-1/2 mi. E	37° 32'	77° 25'	162	53	11	11	3	a4	3		Climatological observations were continuous at City Office sites 10-5-97 through 6-30-53. Observational program at Airport 7-1-39 to 9-24-42 and after 4-19-46. a - At this site 9-24-42 to 4-19-46 and after 6-1-50.
<u>AIRPORT STATION</u>														
WB-CAA Building	7-15-25	9-24-42	None	37° 30'	77° 20'	158	#	5	5			3		CAA to 8-3-30. WBAS 8-3-30 to 5-26-35 and 7-14-38 to 9-24-42. # - 40 ft. 8-3-30 to 5-26-35, estimated 40 ft. 5-26-35 to 7-14-38 and estimated 50 ft. to 9-24-42.
Army Hangar (Operations Annex)	9-24-42	4-19-46	1/2 mi. NNW	37° 30'	77° 20'	156	55	5	5			3		AF operation.
Old Airport Administration Building	4-19-46	6- 1-50	1/3 mi. SSE	37° 30'	77° 20'	156	46	5	5			4		WBAS re-opened in airport terminal building (old).
Byrd Field New Terminal Building	6- 1-50	Present	4/5 mi. N	37° 30'	77° 20'	c164	b20	d6	d6	3	3	a4		a - Installed 2700 ft. ENE of thermometer site 6-26-59. b - 67 ft. to 1-11-61. c - 162 feet to 6-26-59. d - Discontinued 6-26-59.

Requests for additional information should be directed to the Weather Bureau Office for which this summary was issued.

Sale Price: 15 cents per copy. Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding this publication should be sent to the Superintendent of Documents, Government Printing Office, Washington, D. C. 20402

USCOMM-ESSA-ASHEVILLE - 800