

Local Climatological Data Daily Summary June 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/25/2023

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir			
	2	3	4	5	6	7	8	9	10	11	12	13		14	15	16	17	18	19	20	21	22	23				
01	78	59	69	-1.7				0	4	0450	1925	RA BR	T	0.0	0	29.88		7.6	25	020	16	020					
02	87	57	72	0.9				0	7	0449	1925	FG BR	0.00	0.0	0	29.75		4.4	19	040	14	040					
03	85	59	72	0.6				0	7	0449	1926		T	0.0	0	29.71		8.2	23	070	18	080					
04	71	56	64	-7.7				1	0	0449	1927		0.00	0.0	0	29.83		6.2	19	070	14	030					
05	79	51*	65	-7.0				0	0	0449	1927	MIFG FG	0.00	0.0	0	29.75		4.8	19	360	16	350					
06	82	56	69	-3.3				0	4	0448	1928	HZ	0.00	0.0	0	29.62		6.5	22	270	17	280					
07	77	61	69	-3.7				0	4	0448	1928	TS RA BR HZ	T	0.0	0	29.52		5.8	18	320	14	140					
08	76	57	67	-6.0				0	2	0448	1929	TS RA FG BR HZ	0.03	0.0	0	29.53		4.7	24	270	18	280					
09	79	57	68	-5.3				0	3	0448	1929	RA HZ	0.03	0.0	0	29.62		4.7	25	260	15	360					
10	85	54	70	-3.6				0	5	0448	1930		0.00	0.0	0	29.69		4.4	23	260	15	250					
11	89	61	75	1.1				0	10	0448	1930		0.00	0.0	0	29.68		9.7	25	180	21	220					
12	83	68	76	1.8				0	11	0448	1931	RA	0.02	0.0	0	29.52		10.2	25	200	20	230					
13	82	57	70	-4.5				0	5	0448	1931		0.00	0.0	0	29.59		6.3	27	220	23	220					
14	84	57	71	-3.8				0	6	0448	1932		0.00	0.0	0	29.48		9.6	28	240	22	220					
15	86	61	74	-1.1				0	9	0448	1932		T	0.0	0	29.54		4.0	19	210	14	290					
16	85	63	74	-1.4				0	9	0448	1932	TS RA BR	0.08	0.0	0	29.50		5.2	40	270	24	270					
17	85	61	73	-2.7				0	8	0448	1933		0.00	0.0	0	29.62		6.4	24	340	18	340					
18	87	60	74	-2.0				0	9	0448	1933		0.00	0.0	0	29.72		3.3	17	220	13	250					
19	90	63	77	0.8				0	12	0448	1933		0.00	0.0	0	29.77		7.4	24	180	17	130					
20	79	69	74	-2.5				0	9	0448	1934	RA	0.03	0.0	0	29.83		11.0	26	070	20	080					
21	69	64	67	-9.7				0	2	0448	1934	RA DZ BR	0.83	0.0	0	29.82		16.6	40	040	30	040					
22	73	64	69	-8.0				0	4	0449	1934	RA BR	0.24	0.0	0	29.82		9.2	22	060	15	080					
23	80	69	75	-2.2				0	10	0449	1934	TS RA BR	0.91	0.0	0	29.74		5.9	23	210	16	150					
24	87	68	78	0.6				0	13	0449	1934	TS RA BR	0.09	0.0	0	29.69		3.9	19	290	15	300					
25	89	67	78	0.4				0	13	0449	1934	TS RA BR	0.70	0.0	0	29.67		4.9	28	300	23	310					
26	90*	67	79	1.2				0	14	0450	1934	TS RA	0.65	0.0	0	29.55		9.8	33	310	24	330					
27	88	66	77	-1.0				0	12	0450	1934	TS	0.03	0.0	0	29.52		7.7	26	260	20	270					
28	87	69	78	-0.2				0	13	0450	1934	HZ	0.00	0.0	0	29.70		4.8	17	030	13	020					
29	86	64	75	-3.4				0	10	0451	1934	HZ	0.00	0.0	0	29.86		4.2	20	020	10	040					
30	89	66	78	-0.5				0	13	0451	1934	HZ	0.00	0.0	0	29.85		7.2	22	140	18	140					
Monthly Averages Totals													3.64			29.68	29.87	6.9									
Departure from Normal (1981-2010)													-0.29s														
Degree Days											Number of days with...																
Monthly					Season-to-date					Temperature					Precipitation			Snow		Weather							
Total		Departure			Total		Departure			Max		Min			>=0.01"		>=0.1"	>=1"		T-Storms		Heavy Fog					
Heating		1			-6		3086		>=90°			<=32°			8s		2s	0		10		2					
Cooling		221			-94		337		2			0			0		0										
Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure					Greatest...															
N/A							Maximum		30.12			Date		01			Time		0852			24-Hr...		Snow Depth			
							Minimum		29.61			Date		16			Time		1815			Precip		Snowfall			
																						22-23					
Station Augmentation																											
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data Hourly Observations June 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/25/2023

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press Tend	Net 3-Hr Change (inHg)	Sea Level Press (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		60	15.6	58	14.4	56	13.3	86	6	020		29.90	8	+0.02	30.09	FM-15	0.00	30.08
01	0100	4		9.94		60	15.6	58	14.4	56	13.3	86	6	020		29.90	8	+0.02	30.09	FM-12		
01	0154	7	FEW:02 27	10.00		60	15.6	58	14.4	56	13.3	86	6	020		29.89			30.08	FM-15	0.00	30.07
01	0254	7	BKN:07 39	10.00		61	16.1	59	15.0	57	13.9	87	7	360		29.89			30.08	FM-15	0.00	30.07
01	0354	7	BKN:07 41	10.00		62	16.7	59	15.0	57	13.9	84	9	010		29.89	6	+0.01	30.08	FM-15	0.00	30.07
01	0419	7	BKN:07 26 OVC:08 44	10.00		62	16.7	59	15.0	57	13.9	84	7	010		29.90				FM-16		30.08
01	0454	7	FEW:02 10 BKN:07 26	10.00		62	16.7	60	15.6	58	14.4	86	8	010		29.90			30.09	FM-15	0.00	30.08
01	0554	6	BKN:07 22 BKN:07 37	10.00		63	17.2	61	16.1	60	15.6	90	10	010		29.91			30.09	FM-15	0.00	30.09
01	0654	6	FEW:02 10 BKN:07 22 OVC:08 37	10.00		66	18.9	63	17.2	61	16.1	84	13	010		29.91	1	-0.02	30.10	FM-15	0.00	30.09
01	0754	6	SCT:04 10 BKN:07 22 OVC:08 30	10.00		67	19.4	63	17.2	61	16.1	81	11	030		29.92			30.11	FM-15	0.00	30.10
01	0831	6	BKN:07 12 BKN:07 17 OVC:08 27	10.00		68	20.0	64	17.8	62	16.7	81	9	360		29.93				FM-16		30.11
01	0854	6	OVC:08 11	10.00		69	20.6	65	18.3	62	16.7	78	13	010		29.93			30.11	FM-15	T	30.11
01	0952	6	OVC:08 15	6.00	-RA:02 RA RA	70	21.1	66	18.9	64	17.8	83	11	010		29.92				FM-16		30.10
01	0954	7	OVC:08 15	7.00	-RA:02 RA RA	71	21.7	67	19.4	64	17.8	79	11	010		29.92	0	0.00	30.10	FM-15	T	30.10
01	1054	7	OVC:08 15	10.00		73	22.8	67	19.4	64	17.8	74	9	020		29.91			30.10	FM-15	0.00	30.09
01	1154	7	SCT:04 19 BKN:07 26 OVC:08 38	10.00		75	23.9	68	20.0	64	17.8	69	10	030		29.89			30.08	FM-15	0.00	30.07
01	1223	7	FEW:02 19 SCT:04 26 OVC:08 34	10.00		75	23.9	68	20.0	64	17.8	69	8	020		29.88				FM-16		30.06
01	1254	7	FEW:02 21 SCT:04 26 OVC:08 34	10.00		75	23.9	69	20.6	65	18.3	71	11	050		29.88	8	+0.04	30.07	FM-15	0.00	30.06
01	1300	4	26	9.94		75	23.9	69	20.6	65	18.3	71	11	050		29.88	8	+0.04	30.07	FM-12		
01	1354	7	SCT:04 26 BKN:07 33 OVC:08 70	10.00		76	24.4	68	20.0	64	17.8	67	14	030		29.86			30.05	FM-15	0.00	30.04
01	1454	7	SCT:04 22 BKN:07 30	10.00		74	23.3	69	20.6	66	18.9	76	9	020		29.86			30.05	FM-15	T	30.04
01	1554	7	FEW:02 30 BKN:07 60 OVC:08 300	10.00		77	25.0	69	20.6	65	18.3	66	8	040		29.85	7	+0.03	30.03	FM-15	0.00	30.03
01	1654	7	FEW:02 25 BKN:07 55 BKN:07 300	10.00		78	25.6	70	21.1	65	18.3	64	10	030		29.84			30.02	FM-15	0.00	30.02
01	1754	7	FEW:02 23 BKN:07 55 BKN:07 300	10.00		76	24.4	68	20.0	64	17.8	67	8	050		29.84			30.03	FM-15	0.00	30.02

01	1854	7	FEW:02 20 FEW:02 50 BKN:07 300	10.00		73	22.8	67	19.4	64	17.8	74	5	080		29.83	6	+0.01	30.02	FM-15	0.00	30.01	
01	1900	4	26	9.94		73	22.8	67	19.4	64	17.8	74	5	080		29.83	6	+0.01	30.02	FM-12			
01	1954	7	BKN:07 300	10.00		71	21.7	67	19.4	64	17.8	79	0	000		29.83			30.01	FM-15	0.00	30.01	
01	2054	7	SCT:04 300	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.83			30.02	FM-15	0.00	30.01	
01	2154	7	SCT:04 300	10.00		68	20.0	66	18.9	64	17.8	87	0	000		29.83	6	0.00	30.02	FM-15	0.00	30.01	
01	2254	7	SCT:04 300	10.00		66	18.9	64	17.8	63	17.2	90	3	350		29.82			30.01	FM-15	0.00	30.00	
01	2354	7	SCT:04 300	6.00		BR:1	64	17.8	63	17.2	62	16.7	93	0	000		29.81			30.00	FM-15	0.00	29.99
02	0021	7	FEW:02 8 SCT:04 300	6.00		BR:1	61	16.1	60	15.6	59	15.0	93	0	000		29.80				FM-16		29.98
02	0054	7	FEW:02 5 SCT:04 300	6.00		BR:1	63	17.2	61	16.1	60	15.6	90	0	000		29.79	8	+0.04	29.98	FM-15	0.00	29.97
02	0100	4	5	5.59		63	17.2	61	16.1	60	15.6	90	0	000		29.79	8	+0.04	29.98	FM-12			
02	0154	7	FEW:02 5 SCT:04 300	6.00		BR:1	61	16.1	60	15.6	59	15.0	93	0	000		29.78			29.97	FM-15	0.00	29.96
02	0254	7	FEW:02 300	5.00		BR:1	62	16.7	61	16.1	60	15.6	93	3	350		29.77			29.96	FM-15	0.00	29.95
02	0352	6	FEW:02 7 FEW:02 300	4.00		BR:1	61	16.1	60	15.6	59	15.0	94	5	030		29.76				FM-16		29.94
02	0354	7	FEW:02 7 FEW:02 300	4.00		BR:1	60	15.6	59	15.0	59	15.0	96	5	020		29.76	6	+0.03	29.95	FM-15	0.00	29.94
02	0452	6	FEW:02 9 SCT:04 300	2.00		BR:1	59	15.0	58	14.4	57	13.9	94	0	000		29.77				FM-16		29.95
02	0454	7	FEW:02 9 SCT:04 300	2.00		BR:1	58	14.4	57	13.9	57	13.9	97	0	000		29.77			29.96	FM-15	0.00	29.95
02	0523	7	SCT:04 4 BKN:07 11 BKN:07 300	2.00		BR:1	58	14.4	57	13.9	56	13.3	93	3	030		29.78				FM-16		29.96
02	0537	7	BKN:07 2 BKN:07 11 BKN:07 300	2.00		BR:1	59	15.0	58	14.4	58	14.4	96	0	000		29.78				FM-16		29.96
02	0552	6	BKN:07 2 BKN:07 11 BKN:07 300	0.50		FG:2 FG	61	16.1	61	16.1	61	16.1	100	0	000		29.78				FM-16		29.96
02	0554	7	VV:09 2	0.50		FG:2 FG	61	16.1	60	15.6	60	15.6	97	0	000		29.78			29.97	FM-15	0.00	29.96
02	0608	7	VV:09 2	0.25		FG:2 FG	62	16.7	61	16.1	60	15.6	93	3	040		29.78				FM-16		29.96
02	0652	6	OVC:08 2	0.50		FG:2 FG	63	17.2	63	17.2	63	17.2	100	0	000		29.78				FM-16		29.96
02	0654	7	OVC:08 2	0.50		FG:2 FG	63	17.2	62	16.7	62	16.7	97	0	000		29.78	1	-0.01	29.97	FM-15	0.00	29.96
02	0700	4	2	0.50		FG	63	17.2	62	16.7	62	16.7	97	0	000		29.78	1	-0.01	29.97	FM-12		
02	0701	7	OVC:08 2	1.00		BR:1	63	17.2	62	16.7	62	16.7	97	0	000		29.79				FM-16		29.97
02	0714	7	SCT:04 2 BKN:07 250	4.00		BR:1	64	17.8	63	17.2	62	16.7	93	0	000		29.78				FM-16		29.96
02	0754	7	BKN:07 250	10.00		70	21.1	65	18.3	62	16.7	76	0	000		29.79			29.98	FM-15	0.00	29.97	
02	0854	7	SCT:04 250	10.00		74	23.3	66	18.9	61	16.1	64	6	060		29.78			29.97	FM-15	0.00	29.96	
02	0954	7	SCT:04 250	10.00		78	25.6	66	18.9	59	15.0	52	7	060	18	29.78	8	+0.01	29.97	FM-15	0.00	29.96	
02	1054	7	FEW:02 250	10.00		81	27.2	65	18.3	55	12.8	41	9	080		29.78			29.97	FM-15	0.00	29.96	
02	1154	7	FEW:02 250	10.00		83	28.3	65	18.3	53	11.7	36	9	020		29.76			29.95	FM-15	0.00	29.94	
02	1254	7	SCT:04 25	10.00		84	28.9	63	17.2	48	8.9	29	10	060		29.74	8	+0.04	29.93	FM-15	0.00	29.92	
02	1300	4	26	9.94		84	28.9	63	17.2	48	8.9	29	10	060		29.74	8	+0.04	29.93	FM-12			
02	1354	7	SCT:04 250	10.00		86	30.0	64	17.8	49	9.4	28	13	020		29.72			29.91	FM-15	0.00	29.90	
02	1454	7	SCT:04 250	10.00		86	30.0	65	18.3	51	10.6	30	10	070		29.70			29.89	FM-15	0.00	29.88	
02	1554	7	FEW:02 300	10.00		86	30.0	66	18.9	53	11.7	32	9	070		29.68	6	+0.06	29.87	FM-15	0.00	29.86	
02	1654	7	FEW:02 300	10.00		86	30.0	66	18.9	54	12.2	33	8	070		29.68			29.87	FM-15	0.00	29.86	
02	1754	7	FEW:02 300	10.00		84	28.9	66	18.9	54	12.2	36	5	070		29.67			29.86	FM-15	0.00	29.85	
02	1854	7	FEW:02 300	10.00		80	26.7	66	18.9	57	13.9	45	5	150		29.67	6	+0.02	29.85	FM-15	0.00	29.85	
02	1900	4		9.94		80	26.7	66	18.9	57	13.9	45	5	150		29.67	6	+0.02	29.85	FM-12			

02	1954	7	FEW:02 300	10.00		76	24.4	66	18.9	59	15.0	56	3	120		29.66			29.85	FM-15	0.00	29.84
02	2054	7	CLR:00	10.00		73	22.8	63	17.2	56	13.3	55	0	000		29.68			29.86	FM-15	0.00	29.86
02	2154	7	CLR:00	10.00		70	21.1	62	16.7	57	13.9	64	0	000		29.68	3	-0.01	29.87	FM-15	0.00	29.86
02	2254	7	CLR:00	10.00		67	19.4	61	16.1	57	13.9	71	0	000		29.67			29.86	FM-15	0.00	29.85
02	2354	7	CLR:00	10.00		64	17.8	59	15.0	56	13.3	75	3	120		29.66			29.85	FM-15	0.00	29.84
03	0054	7	CLR:00	10.00		65	18.3	60	15.6	56	13.3	73	3	130		29.65	8	+0.03	29.84	FM-15	0.00	29.83
03	0100	4		9.94		65	18.3	60	15.6	56	13.3	73	3	130		29.65	8	+0.03	29.84	FM-12		
03	0154	7	CLR:00	10.00		64	17.8	60	15.6	57	13.9	78	0	000		29.64			29.83	FM-15	0.00	29.82
03	0254	7	CLR:00	10.00		61	16.1	58	14.4	56	13.3	84	0	000		29.64			29.83	FM-15	0.00	29.82
03	0354	7	CLR:00	10.00		60	15.6	58	14.4	56	13.3	86	3	170		29.63	8	+0.02	29.82	FM-15	0.00	29.81
03	0454	7	FEW:02 150	10.00		61	16.1	58	14.4	56	13.3	84	5	150		29.63			29.82	FM-15	0.00	29.81
03	0554	7	BKN:07 120	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.65			29.84	FM-15	0.00	29.83
03	0654	7	SCT:04 120 BKN:07 250	10.00		66	18.9	62	16.7	60	15.6	81	5	130		29.66	3	-0.03	29.85	FM-15	0.00	29.84
03	0700	4		9.94		66	18.9	62	16.7	60	15.6	81	5	130		29.66	3	-0.03	29.85	FM-12		
03	0754	7	SCT:04 250	10.00		71	21.7	65	18.3	61	16.1	71	5	090		29.67			29.86	FM-15	0.00	29.85
03	0854	7	FEW:02 250	10.00		77	25.0	67	19.4	61	16.1	58	7	090		29.69			29.88	FM-15	0.00	29.87
03	0954	7	CLR:00	10.00		80	26.7	68	20.0	61	16.1	52	7	060		29.69	0	-0.02	29.88	FM-15	0.00	29.87
03	1054	7	FEW:02 40	10.00		83	28.3	69	20.6	62	16.7	49	9	050		29.69			29.88	FM-15	0.00	29.87
03	1154	7	FEW:02 100	10.00		83	28.3	68	20.0	59	15.0	44	11	100		29.69			29.88	FM-15	0.00	29.87
03	1254	7	SCT:04 46	10.00		84	28.9	70	21.1	63	17.2	49	10	120	16	29.69	1	-0.01	29.88	FM-15	0.00	29.87
03	1300	4	41	9.94		84	28.9	70	21.1	63	17.2	49	10	120		29.69	1	-0.01	29.88	FM-12		
03	1354	7	SCT:04 45	10.00		84	28.9	68	20.0	59	15.0	43	11	080		29.69			29.88	FM-15	0.00	29.87
03	1454	7	SCT:04 45	10.00		83	28.3	69	20.6	62	16.7	49	14	090		29.68			29.87	FM-15	0.00	29.86
03	1554	7	FEW:02 50 SCT:04 100	10.00		82	27.8	69	20.6	61	16.1	49	9	100		29.68	6	+0.01	29.87	FM-15	0.00	29.86
03	1654	7	FEW:02 37 BKN:07 55	10.00		79	26.1	69	20.6	64	17.8	60	10	080		29.70			29.89	FM-15	0.00	29.88
03	1754	7	SCT:04 27 SCT:04 37 BKN:07 50	10.00		76	24.4	68	20.0	64	17.8	67	15	070	22	29.72			29.91	FM-15	T	29.90
03	1854	7	FEW:02 50 SCT:04 100 BKN:07 200	10.00		71	21.7	65	18.3	61	16.1	71	15	110		29.74	3	-0.06	29.93	FM-15	0.00	29.92
03	1900	4	57	9.94		71	21.7	65	18.3	61	16.1	71	15	110		29.74	3	-0.06	29.93	FM-12		
03	1954	7	FEW:02 50 SCT:04 150	10.00		67	19.4	62	16.7	59	15.0	76	13	080	18	29.76			29.95	FM-15	0.00	29.94
03	2028	7	BKN:07 18	10.00		66	18.9	61	16.1	58	14.4	75	15	070	22	29.79				FM-16		29.97
03	2054	7	OVC:08 18	10.00		65	18.3	61	16.1	58	14.4	78	13	080		29.81			30.00	FM-15	0.00	29.99
03	2154	7	OVC:08 15	10.00		63	17.2	59	15.0	56	13.3	78	13	080	20	29.81	1	-0.08	30.00	FM-15	0.00	29.99
03	2224	7	OVC:08 12	10.00		63	17.2	60	15.6	57	13.9	81	11	070		29.82				FM-16		30.00
03	2254	7	OVC:08 12	9.00		62	16.7	59	15.0	56	13.3	80	10	070		29.84			30.02	FM-15	0.00	30.02
03	2354	7	OVC:08 14	10.00		61	16.1	58	14.4	55	12.8	81	8	070		29.83			30.02	FM-15	0.00	30.01
04	0054	7	OVC:08 12	10.00		60	15.6	57	13.9	55	12.8	84	10	050		29.83	1	-0.01	30.02	FM-15	0.00	30.01
04	0100	4	15	9.94		60	15.6	57	13.9	55	12.8	84	10	050		29.83	1	-0.01	30.02	FM-12		
04	0119	7	BKN:07 16 OVC:08 24	10.00		60	15.6	56	13.3	53	11.7	78	11	090		29.83				FM-16		30.01
04	0154	7	OVC:08 18	10.00		60	15.6	56	13.3	53	11.7	78	7	070		29.82			30.01	FM-15	0.00	30.00
04	0254	7	BKN:07 17 OVC:08 24	10.00		60	15.6	56	13.3	53	11.7	78	7	040		29.83			30.02	FM-15	0.00	30.01
04	0354	7	OVC:08 21	10.00		59	15.0	55	12.8	52	11.1	78	9	050		29.84	3	-0.01	30.03	FM-15	0.00	30.02
04	0454	7	OVC:08 22	10.00		59	15.0	55	12.8	51	10.6	75	9	080		29.85			30.03	FM-15	0.00	30.03
04	0554	7	BKN:07 21 OVC:08 29	10.00		59	15.0	55	12.8	52	11.1	78	10	060		29.86			30.05	FM-15	0.00	30.04
04	0654	7	OVC:08 18	10.00		59	15.0	55	12.8	52	11.1	78	8	050		29.87	2	-0.03	30.06	FM-15	0.00	30.05

04	0700	4	15	9.94		59	15.0	55	12.8	52	11.1	78	8	050		29.87	2	-0.03	30.06	FM-12		
04	0754	7	BKN:07 17 OVC:08 26	10.00		60	15.6	56	13.3	52	11.1	75	10	060		29.88			30.07	FM-15	0.00	30.06
04	0854	7	BKN:07 25 OVC:08 60	10.00		62	16.7	55	12.8	50	10.0	65	11	050		29.87			30.06	FM-15	0.00	30.05
04	0952	6	SCT:04 25 BKN:07 31 OVC:08 60	10.00		64	17.8	57	13.9	52	11.1	64	10	060		29.86				FM-16		30.04
04	0954	7	SCT:04 25 BKN:07 31 OVC:08 60	10.00		64	17.8	57	13.9	51	10.6	63	9	060		29.86	8	+0.01	30.05	FM-15	0.00	30.04
04	1054	7	SCT:04 27 BKN:07 70	10.00		65	18.3	57	13.9	51	10.6	61	9	110		29.85			30.05	FM-15	0.00	30.03
04	1154	7	SCT:04 32 BKN:07 70	10.00		67	19.4	59	15.0	52	11.1	59	8	340		29.84			30.03	FM-15	0.00	30.02
04	1254	7	BKN:07 37 BKN:07 60	10.00		70	21.1	59	15.0	51	10.6	51	9	010		29.83	8	+0.03	30.02	FM-15	0.00	30.01
04	1300	4	41	9.94		70	21.1	59	15.0	51	10.6	51	9	010		29.83	8	+0.03	30.02	FM-12		
04	1354	7	BKN:07 42	10.00		68	20.0	58	14.4	51	10.6	55	6	070		29.82			30.02	FM-15	0.00	30.00
04	1454	7	OVC:08 42	10.00		69	20.6	59	15.0	52	11.1	55	6	060		29.82			30.01	FM-15	0.00	30.00
04	1554	7	OVC:08 47	10.00		70	21.1	60	15.6	53	11.7	55	7	070		29.80	8	+0.03	29.99	FM-15	0.00	29.98
04	1654	7	BKN:07 47	10.00		69	20.6	59	15.0	52	11.1	55	0	000		29.79			29.98	FM-15	0.00	29.97
04	1754	7	SCT:04 50 BKN:07 100	10.00		69	20.6	60	15.6	53	11.7	57	3	360		29.78			29.97	FM-15	0.00	29.96
04	1854	7	FEW:02 75 SCT:04 200	10.00		68	20.0	58	14.4	51	10.6	55	0	000		29.79	5	+0.01	29.98	FM-15	0.00	29.97
04	1900	4	74	9.94		68	20.0	58	14.4	51	10.6	55	0	000		29.79	5	+0.01	29.98	FM-12		
04	1954	7	FEW:02 80 SCT:04 200	10.00		62	16.7	58	14.4	54	12.2	75	3	210		29.79			29.98	FM-15	0.00	29.97
04	2054	7	FEW:02 80 FEW:02 200	10.00		61	16.1	57	13.9	54	12.2	78	0	000		29.79			29.98	FM-15	0.00	29.97
04	2154	7	FEW:02 80	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.80	3	-0.01	29.99	FM-15	0.00	29.98
04	2254	7	FEW:02 80	10.00		57	13.9	55	12.8	53	11.7	87	6	140		29.80			29.99	FM-15	0.00	29.98
04	2354	7	CLR:00	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.78			29.97	FM-15	0.00	29.96
05	0054	7	CLR:00	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.77	8	+0.03	29.96	FM-15	0.00	29.95
05	0100	4		9.94		56	13.3	54	12.2	53	11.7	90	0	000		29.77	8	+0.03	29.96	FM-12		
05	0154	7	CLR:00	10.00		57	13.9	55	12.8	54	12.2	90	6	260		29.75			29.94	FM-15	0.00	29.93
05	0254	7	CLR:00	9.00		53	11.7	52	11.1	51	10.6	93	5	210		29.75			29.94	FM-15	0.00	29.93
05	0354	7	CLR:00	9.00		54	12.2	52	11.1	51	10.6	90	0	000		29.75	5	+0.02	29.94	FM-15	0.00	29.93
05	0454	7	CLR:00	9.00	MI:1 FG:2 FG	51	10.6	50	10.0	49	9.4	92	0	000		29.77			29.96	FM-15	0.00	29.95
05	0554	7	CLR:00	10.00		55	12.8	53	11.7	52	11.1	90	0	000		29.78			29.97	FM-15	0.00	29.96
05	0654	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	8	310		29.78	1	-0.03	29.97	FM-15	0.00	29.96
05	0700	4		9.94		62	16.7	58	14.4	55	12.8	78	8	310		29.78	1	-0.03	29.97	FM-12		
05	0754	7	CLR:00	10.00		64	17.8	59	15.0	56	13.3	75	7	010		29.79			29.98	FM-15	0.00	29.97
05	0854	7	FEW:02 30 FEW:02 140	10.00		68	20.0	61	16.1	56	13.3	65	5	VRB		29.79			29.97	FM-15	0.00	29.97
05	0954	7	FEW:02 30 FEW:02 140	10.00		70	21.1	62	16.7	57	13.9	64	9	030		29.78	0	0.00	29.97	FM-15	0.00	29.96
05	1054	7	FEW:02 30 FEW:02 200	10.00		70	21.1	62	16.7	57	13.9	64	5	VRB		29.77			29.96	FM-15	0.00	29.95
05	1154	7	FEW:02 30 FEW:02 200	10.00		75	23.9	62	16.7	52	11.1	45	9	350		29.76			29.94	FM-15	0.00	29.94
05	1254	7	FEW:02 30 BKN:07 200	10.00		76	24.4	60	15.6	48	8.9	37	9	340		29.74	8	+0.04	29.93	FM-15	0.00	29.92
05	1300	4	26	9.94		76	24.4	60	15.6	48	8.9	37	9	340		29.74	8	+0.04	29.93	FM-12		
05	1354	7	SCT:04 45 BKN:07 200	10.00		78	25.6	62	16.7	50	10.0	37	10	350		29.72			29.91	FM-15	0.00	29.90

05	1454	7	SCT:04 45 BKN:07 200	10.00		78	25.6	61	16.1	49	9.4	36	3	330	20	29.71			29.90	FM-15	0.00	29.89
05	1554	7	SCT:04 60 BKN:07 250	10.00		77	25.0	61	16.1	50	10.0	39	8	360		29.70	6	+0.04	29.89	FM-15	0.00	29.88
05	1654	7	FEW:02 60 BKN:07 300	10.00		78	25.6	61	16.1	48	8.9	35	9	360		29.70			29.89	FM-15	0.00	29.88
05	1754	7	FEW:02 60 BKN:07 300	10.00		76	24.4	59	15.0	46	7.8	35	10	360		29.70			29.89	FM-15	0.00	29.88
05	1854	7	BKN:07 300	10.00		72	22.2	59	15.0	48	8.9	43	6	040		29.70	5	0.00	29.89	FM-15	0.00	29.88
05	1900	4		9.94		72	22.2	59	15.0	48	8.9	43	6	040		29.70	5	0.00	29.89	FM-12		
05	1954	7	BKN:07 300	10.00		66	18.9	58	14.4	51	10.6	59	0	000		29.70			29.89	FM-15	0.00	29.88
05	2054	7	BKN:07 300	10.00		65	18.3	57	13.9	51	10.6	61	0	000		29.72			29.91	FM-15	0.00	29.90
05	2154	7	BKN:07 300	10.00		63	17.2	56	13.3	51	10.6	65	0	000		29.72	3	-0.02	29.91	FM-15	0.00	29.90
05	2254	7	SCT:04 250 BKN:07 300	10.00		60	15.6	55	12.8	51	10.6	72	0	000		29.72			29.91	FM-15	0.00	29.90
05	2354	7	BKN:07 90	10.00		61	16.1	57	13.9	53	11.7	75	7	210		29.72			29.91	FM-15	0.00	29.90
06	0054	7	FEW:02 85	10.00		62	16.7	57	13.9	53	11.7	73	3	200		29.71	8	+0.01	29.90	FM-15	0.00	29.89
06	0100	4		9.94		62	16.7	57	13.9	53	11.7	73	3	200		29.71	8	+0.01	29.90	FM-12		
06	0154	7	FEW:02 85	10.00		58	14.4	55	12.8	53	11.7	84	0	000		29.70			29.89	FM-15	0.00	29.88
06	0254	7	FEW:02 80	10.00		59	15.0	56	13.3	53	11.7	81	3	220		29.69			29.88	FM-15	0.00	29.87
06	0354	7	FEW:02 75	10.00		56	13.3	54	12.2	52	11.1	87	0	000		29.69	6	+0.02	29.88	FM-15	0.00	29.87
06	0454	7	FEW:02 70	10.00		58	14.4	56	13.3	54	12.2	87	0	000		29.69			29.88	FM-15	0.00	29.87
06	0554	7	FEW:02 65 FEW:02 300	10.00		59	15.0	56	13.3	54	12.2	83	0	000		29.69			29.88	FM-15	0.00	29.87
06	0654	7	FEW:02 60 FEW:02 300	10.00		64	17.8	60	15.6	57	13.9	78	3	340		29.68	8	+0.01	29.87	FM-15	0.00	29.86
06	0700	4	57	9.94		64	17.8	60	15.6	57	13.9	78	3	340		29.68	8	+0.01	29.87	FM-12		
06	0754	7	FEW:02 60 SCT:04 250	10.00		70	21.1	62	16.7	56	13.3	61	6	310		29.68			29.87	FM-15	0.00	29.86
06	0854	7	FEW:02 60 SCT:04 250	10.00		74	23.3	61	16.1	51	10.6	45	7	290		29.67			29.86	FM-15	0.00	29.85
06	0954	7	FEW:02 60 BKN:07 250	10.00		77	25.0	61	16.1	50	10.0	39	6	270		29.66	8	+0.03	29.85	FM-15	0.00	29.84
06	1054	7	FEW:02 60 BKN:07 250	10.00		79	26.1	60	15.6	46	7.8	31	13	250		29.65			29.84	FM-15	0.00	29.83
06	1154	7	FEW:02 60 BKN:07 250	10.00		80	26.7	61	16.1	47	8.3	31	8	300		29.63			29.82	FM-15	0.00	29.81
06	1254	7	FEW:02 60 BKN:07 250	8.00		81	27.2	62	16.7	47	8.3	30	11	260		29.61	8	+0.05	29.80	FM-15	0.00	29.79
06	1300	4	57	7.46		81	27.2	62	16.7	47	8.3	30	11	260		29.61	8	+0.05	29.80	FM-12		
06	1354	7	OVC:08 250	7.00		79	26.1	61	16.1	47	8.3	32	13	240		29.59			29.78	FM-15	0.00	29.77
06	1454	7	OVC:08 250	5.00	HZ:7 FU HZ	81	27.2	62	16.7	47	8.3	30	7	290		29.57			29.76	FM-15	0.00	29.75
06	1554	7	OVC:08 250	4.00	HZ:7 FU HZ	81	27.2	61	16.1	46	7.8	29	11	290		29.56	6	+0.05	29.75	FM-15	0.00	29.74
06	1654	7	OVC:08 250	4.00	HZ:7 FU HZ	79	26.1	60	15.6	46	7.8	31	10	250		29.54			29.73	FM-15	0.00	29.72
06	1754	7	BKN:07 250	5.00	HZ:7 FU HZ	78	25.6	61	16.1	48	8.9	35	9	240		29.54			29.72	FM-15	0.00	29.72
06	1854	7	BKN:07 250	4.00	HZ:7 FU HZ	76	24.4	61	16.1	50	10.0	40	7	230		29.53	6	+0.02	29.72	FM-15	0.00	29.71
06	1900	4		3.73	HZ	76	24.4	61	16.1	50	10.0	40	7	230		29.53	6	+0.02	29.72	FM-12		
06	1954	7	BKN:07 250	6.00	HZ:7 FU HZ	74	23.3	61	16.1	52	11.1	46	8	230		29.53			29.72	FM-15	0.00	29.71
06	2054	7	BKN:07 250	7.00		73	22.8	61	16.1	53	11.7	50	8	250		29.54			29.73	FM-15	0.00	29.72
06	2154	7	BKN:07 250	7.00		71	21.7	61	16.1	54	12.2	55	6	270		29.55	3	-0.01	29.74	FM-15	0.00	29.73
06	2254	7	BKN:07 250	8.00		70	21.1	61	16.1	54	12.2	57	7	280		29.55			29.74	FM-15	0.00	29.73
06	2354	7	BKN:07 240	8.00		70	21.1	61	16.1	54	12.2	57	9	290		29.54			29.73	FM-15	0.00	29.72
07	0054	7	FEW:02 210 BKN:07 300	9.00		70	21.1	59	15.0	51	10.6	51	10	310		29.53	8	+0.02	29.72	FM-15	0.00	29.71
07	0100	4		8.70		70	21.1	59	15.0	51	10.6	51	10	310		29.53	8	+0.02	29.72	FM-12		
07	0154	7	FEW:02 200	9.00		69	20.6	59	15.0	51	10.6	53	5	280		29.52			29.70	FM-15	0.00	29.69

08	0100	4	26	7.46		59	15.0	57	13.9	56	13.3	90	6	160		29.48	8	+0.03	29.67	FM-12		
08	0154	7	SCT:04 21 SCT:04 95	5.00	BR:1	58	14.4	57	13.9	56	13.3	93	0	000		29.47			29.66	FM-15		29.65
08	0201	7	SCT:04 3 SCT:04 21 SCT:04 95	5.00	BR:1	59	15.0	57	13.9	56	13.3	90	7	320		29.48				FM-16		29.66
08	0252	6	OVC:08 4	5.00	BR:1	61	16.1	59	15.0	57	13.9	88	0	000		29.48				FM-16		29.66
08	0254	7	OVC:08 4	5.00	BR:1	60	15.6	59	15.0	58	14.4	93	0	000		29.48			29.66	FM-15		29.66
08	0334	7	OVC:08 3	0.75	BR:1	60	15.6	59	15.0	59	15.0	96	5	170		29.47				FM-16		29.65
08	0354	7	VV:09 2	0.50	FG:2 FG	60	15.6	59	15.0	59	15.0	96	3	170		29.47	8	+0.01	29.66	FM-15		29.65
08	0452	6	VV:09 2	0.25	FG:2 FG	61	16.1	60	15.6	59	15.0	94	0	000		29.48				FM-16		29.66
08	0454	7	VV:09 2	0.25	FG:2 FG	60	15.6	59	15.0	59	15.0	96	0	000		29.48			29.67	FM-15	0.00	29.66
08	0554	7	VV:09 2	0.25	FG:2 FG	60	15.6	59	15.0	59	15.0	96	3	VRB		29.50			29.69	FM-15	0.00	29.68
08	0630	6	OVC:08 2	0.75	BR:1	60	15.6	59	15.0	59	15.0	96	0	000		29.52				FM-16		29.69
08	0637	6	OVC:08 2	1.25	BR:1	61	16.1	60	15.6	59	15.0	93	3	250		29.52				FM-16		29.69
08	0645	7	OVC:08 2	1.75	BR:1	61	16.1	60	15.6	59	15.0	93	0	000		29.52				FM-16		29.69
08	0654	7	OVC:08 3	1.75	BR:1	61	16.1	60	15.6	59	15.0	93	5	290		29.52	3	-0.05	29.71	SY-MT	0.00	29.70
08	0701	7	OVC:08 3	2.00	BR:1	60	15.6	59	15.0	59	15.0	96	0	000		29.52				FM-16		29.70
08	0724	6	BKN:07 5	4.00	BR:1	61	16.1	60	15.6	59	15.0	93	0	000		29.52				FM-16		29.70
08	0750	6	SCT:04 8 BKN:07 90	6.00	HZ:7 HZ	66	18.9	61	16.1	57	13.9	73	0	000		29.53				FM-16		29.71
08	0754	6	SCT:04 8 BKN:07 90	6.00	HZ:7 HZ	66	18.9	61	16.1	57	13.9	73	3	VRB		29.53			29.72	FM-15	0.00	29.71
08	0854	7	FEW:02 10 BKN:07 90 BKN:07 110	6.00	HZ:7 FU HZ	68	20.0	60	15.6	55	12.8	63	5	350		29.53			29.72	FM-15	0.00	29.71
08	0954	7	SCT:04 90 BKN:07 110	6.00	HZ:7 FU HZ	69	20.6	61	16.1	55	12.8	61	6	020		29.53	3	0.00	29.72	FM-15	0.00	29.71
08	1047	7	BKN:07 24 OVC:08 100	5.00	HZ:7 FU HZ	67	19.4	60	15.6	54	12.2	63	10	350		29.53				FM-16		29.71
08	1054	7	BKN:07 25	5.00	HZ:7 FU HZ	67	19.4	60	15.6	54	12.2	63	8	350		29.53			29.72	FM-15	0.00	29.71
08	1128	7	OVC:08 27	4.00	TS:7 HZ:7 FU TS TS HZ	67	19.4	59	15.0	53	11.7	61	11	280		29.54				FM-16		29.72
08	1154	7	BKN:07 27 OVC:08 34	3.00	TS:7 RA:02 RA TS TS RA	62	16.7	59	15.0	56	13.3	80	9	020		29.54			29.74	FM-15	0.01	29.72
08	1201	7	BKN:07 34 BKN:07 42 OVC:08 80	3.00	TS:7 -RA:02 RA TS TS RA	62	16.7	59	15.0	56	13.3	80	0	000		29.54				FM-16	0.01	29.72
08	1230	7	FEW:02 37 FEW:02 60 SCT:04 80	4.00	HZ:7 FU HZ	66	18.9	61	16.1	57	13.9	73	5	340		29.52				FM-16	0.02	29.69
08	1254	7	FEW:02 37 SCT:04 60 BKN:07 120	4.00	HZ:7 FU HZ	70	21.1	62	16.7	57	13.9	64	7	020		29.52	8	+0.02	29.70	FM-15	0.01	29.69
08	1300	4	41	3.73	HZ	70	21.1	62	16.7	57	13.9	64	7	020		29.51	8	+0.02	29.70	FM-12		
08	1354	7	SCT:04 60 BKN:07 120	4.00	HZ:7 FU HZ	74	23.3	61	16.1	52	11.1	46	10	030		29.52			29.71	FM-15	0.00	29.70
08	1454	7	SCT:04 90	4.00	HZ:7 FU HZ	74	23.3	62	16.7	54	12.2	50	6	VRB		29.52			29.71	FM-15	0.00	29.70
08	1554	7	FEW:02 240	4.00	HZ:7 FU HZ	74	23.3	59	15.0	47	8.3	38	8	070		29.53	1	-0.02	29.72	FM-15	0.00	29.71
08	1654	7	SCT:04 45 SCT:04 220	4.00	HZ:7 FU HZ	71	21.7	59	15.0	50	10.0	47	8	100		29.54			29.72	FM-15	0.00	29.72
08	1754	7	FEW:02 41 FEW:02 220	4.00	HZ:7 FU HZ	71	21.7	60	15.6	52	11.1	51	6	080		29.54			29.73	FM-15	0.00	29.72
08	1854	7	FEW:02 220	4.00	HZ:7 FU HZ	66	18.9	60	15.6	56	13.3	70	8	130		29.56	3	-0.03	29.75	FM-15	0.00	29.74
08	1900	4		3.73	HZ	66	18.9	60	15.6	56	13.3	70	8	130		29.56	3	-0.03	29.75	FM-12		
08	1954	7	CLR:00	5.00	HZ:7 FU HZ	61	16.1	58	14.4	55	12.8	81	5	190		29.57			29.76	FM-15	0.00	29.75
08	2054	7	CLR:00	5.00	HZ:7 FU HZ	62	16.7	57	13.9	54	12.2	75	3	170		29.59			29.78	FM-15	0.00	29.77
08	2154	7	CLR:00	5.00	HZ:7 FU HZ	60	15.6	57	13.9	54	12.2	80	0	000		29.60	1	-0.04	29.79	FM-15	0.00	29.78

08	2254	7	BKN:07 120	5.00	HZ:7 FU HZ	58	14.4	55	12.8	53	11.7	84	3	010		29.62			29.81	FM-15	0.00	29.80
08	2354	7	BKN:07 65 OVC:08 80	5.00	-RA:02 BR:1 RA RA	60	15.6	58	14.4	56	13.3	86	0	000		29.62			29.81	FM-15	0.01	29.80
09	0054	7	OVC:08 90	5.00	HZ:7 FU HZ	63	17.2	58	14.4	54	12.2	73	5	260		29.61	0	-0.01	29.80	FM-15	T	29.79
09	0100	4		4.97	HZ	63	17.2	58	14.4	54	12.2	73	5	260		29.61	9	+0.01	29.80	FM-12		
09	0154	7	OVC:08 100	6.00	-RA:02 RA RA	62	16.7	57	13.9	54	12.2	75	5	330		29.60			29.79	FM-15	T	29.78
09	0254	7	OVC:08 100	7.00		61	16.1	57	13.9	53	11.7	75	6	230		29.61			29.79	FM-15	T	29.79
09	0354	7	BKN:07 120	7.00		59	15.0	55	12.8	52	11.1	78	6	340		29.60	6	0.00	29.79	FM-15	0.03	29.78
09	0454	7	SCT:04 120	6.00	HZ:7 FU HZ	58	14.4	54	12.2	50	10.0	75	6	350		29.62			29.81	FM-15	0.00	29.80
09	0554	7	FEW:02 120	6.00	HZ:7 FU HZ	59	15.0	55	12.8	51	10.6	75	0	000		29.63			29.82	FM-15	0.00	29.81
09	0654	7	CLR:00	7.00		63	17.2	56	13.3	50	10.0	63	5	340		29.65	1	-0.04	29.83	FM-15	0.00	29.83
09	0700	4		6.84		63	17.2	56	13.3	50	10.0	63	5	340		29.65	1	-0.04	29.83	FM-12		
09	0754	7	CLR:00	10.00		68	20.0	58	14.4	49	9.4	51	5	340		29.66			29.85	FM-15	0.00	29.84
09	0854	7	CLR:00	8.00		71	21.7	58	14.4	48	8.9	44	6	320		29.66			29.85	FM-15	0.00	29.84
09	0954	7	FEW:02 45	10.00		75	23.9	60	15.6	49	9.4	40	6	VRB		29.66	0	-0.01	29.85	FM-15	0.00	29.84
09	1054	7	FEW:02 55	10.00		75	23.9	59	15.0	46	7.8	36	5	VRB		29.65			29.84	FM-15	0.00	29.83
09	1154	7	FEW:02 60	10.00		77	25.0	60	15.6	47	8.3	35	7	260		29.64			29.83	FM-15	0.00	29.82
09	1254	7	FEW:02 70	10.00		78	25.6	60	15.6	46	7.8	32	5	VRB		29.62	8	+0.04	29.81	FM-15	0.00	29.80
09	1300	4	74	9.94		78	25.6	60	15.6	46	7.8	32	5			29.62	8	+0.04	29.81	FM-12		
09	1354	7	SCT:04 70 BKN:07 90 BKN:07 120	10.00		76	24.4	59	15.0	46	7.8	35	11	350		29.62			29.80	FM-15	0.00	29.80
09	1454	7	SCT:04 70 BKN:07 110	10.00		77	25.0	59	15.0	45	7.2	32	7	320		29.61			29.80	FM-15	0.00	29.79
09	1554	7	FEW:02 75 BKN:07 130 OVC:08 300	10.00		74	23.3	59	15.0	47	8.3	38	11	020		29.61	6	+0.01	29.80	FM-15	0.00	29.79
09	1654	7	FEW:02 60 SCT:04 110 SCT:04 160	10.00		75	23.9	59	15.0	47	8.3	37	7	010		29.61			29.80	FM-15	0.00	29.79
09	1754	7	SCT:04 140 SCT:04 300	10.00		73	22.8	59	15.0	49	9.4	43	6	100		29.62			29.81	FM-15	0.00	29.80
09	1854	7	FEW:02 140	10.00		71	21.7	59	15.0	50	10.0	47	5	150		29.63	3	-0.02	29.82	FM-15	0.00	29.81
09	1900	4		9.94		71	21.7	59	15.0	50	10.0	47	5	150		29.63	3	-0.02	29.82	FM-12		
09	1954	7	FEW:02 140	10.00		67	19.4	59	15.0	53	11.7	61	3	160		29.64			29.83	FM-15	0.00	29.82
09	2054	7	SCT:04 85 BKN:07 110	10.00		65	18.3	58	14.4	53	11.7	66	0	000		29.66			29.85	FM-15	0.00	29.84
09	2154	7	SCT:04 85 OVC:08 110	10.00		67	19.4	59	15.0	52	11.1	59	0	000		29.67	3	-0.04	29.86	FM-15	0.00	29.85
09	2254	7	BKN:07 100	10.00		62	16.7	57	13.9	53	11.7	73	3	190		29.67			29.86	FM-15	0.00	29.85
09	2354	7	SCT:04 100	10.00		59	15.0	55	12.8	52	11.1	78	0	000		29.66			29.85	FM-15	0.00	29.84
10	0054	7	SCT:04 100	10.00		60	15.6	56	13.3	53	11.7	78	3	020		29.67	5	0.00	29.86	FM-15	0.00	29.85
10	0100	4		9.94		60	15.6	56	13.3	53	11.7	78	3	020		29.67	5	0.00	29.86	FM-12		
10	0154	7	CLR:00	10.00		59	15.0	56	13.3	53	11.7	81	3	020		29.66			29.85	FM-15	0.00	29.84
10	0254	7	CLR:00	9.00		56	13.3	53	11.7	51	10.6	84	0	000		29.67			29.86	FM-15	0.00	29.85
10	0354	7	CLR:00	9.00		55	12.8	53	11.7	51	10.6	87	3	180		29.68	3	-0.01	29.87	FM-15	0.00	29.86
10	0454	7	CLR:00	8.00		54	12.2	52	11.1	50	10.0	87	0	000		29.69			29.88	FM-15	0.00	29.87
10	0554	7	CLR:00	8.00		57	13.9	54	12.2	52	11.1	83	0	000		29.70			29.89	FM-15	0.00	29.88
10	0654	7	CLR:00	8.00		64	17.8	59	15.0	56	13.3	75	0	000		29.71	3	-0.04	29.90	FM-15	0.00	29.89
10	0700	4		7.46		64	17.8	59	15.0	56	13.3	75	0	000		29.71	3	-0.04	29.90	FM-12		
10	0754	7	CLR:00	10.00		70	21.1	60	15.6	52	11.1	53	0	000		29.72			29.91	FM-15	0.00	29.90
10	0854	7	CLR:00	10.00		75	23.9	61	16.1	51	10.6	43	6	240		29.73			29.92	FM-15	0.00	29.91
10	0954	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	8	250		29.72	0	0.00	29.91	FM-15	0.00	29.90
10	1054	7	CLR:00	10.00		80	26.7	61	16.1	46	7.8	30	3	VRB		29.71			29.90	FM-15	0.00	29.89
10	1154	7	FEW:02 250	10.00		81	27.2	60	15.6	44	6.7	27	7	VRB		29.70			29.88	FM-15	0.00	29.88

10	1254	7	FEW:02 250	10.00		83	28.3	62	16.7	47	8.3	28	10	240		29.68	8	+0.04	29.87	FM-15	0.00	29.86
10	1300	4		9.94		83	28.3	62	16.7	47	8.3	28	10	240		29.68	8	+0.04	29.87	FM-12		
10	1354	7	FEW:02 250	10.00		83	28.3	62	16.7	46	7.8	27	5	VRB		29.68			29.87	FM-15	0.00	29.86
10	1454	7	FEW:02 250	10.00		84	28.9	63	17.2	47	8.3	27	10	210		29.67			29.85	FM-15	0.00	29.85
10	1554	7	FEW:02 250	10.00		85	29.4	64	17.8	49	9.4	29	14	250	17	29.66	8	+0.02	29.85	FM-15	0.00	29.84
10	1654	7	SCT:04 250	10.00		84	28.9	64	17.8	49	9.4	30	7	250	18	29.66			29.85	FM-15	0.00	29.84
10	1754	7	FEW:02 250	10.00		83	28.3	63	17.2	48	8.9	30	9	230		29.67			29.86	FM-15	0.00	29.85
10	1854	7	FEW:02 250	10.00		78	25.6	63	17.2	53	11.7	42	6	190		29.67	2	-0.01	29.86	FM-15	0.00	29.85
10	1900	4		9.94		78	25.6	63	17.2	53	11.7	42	6	190		29.67	2	-0.01	29.86	FM-12		
10	1954	7	FEW:02 250	10.00		72	22.2	61	16.1	53	11.7	52	5	160		29.68			29.86	FM-15	0.00	29.86
10	2054	7	CLR:00	10.00		70	21.1	61	16.1	54	12.2	57	6	170		29.69			29.88	FM-15	0.00	29.87
10	2154	7	CLR:00	10.00		68	20.0	60	15.6	54	12.2	61	0	000		29.70	3	-0.03	29.89	FM-15	0.00	29.88
10	2254	7	FEW:02 250	10.00		68	20.0	59	15.0	53	11.7	59	0	000		29.71			29.90	FM-15	0.00	29.89
10	2354	7	FEW:02 250	10.00		65	18.3	58	14.4	53	11.7	66	0	000		29.71			29.90	FM-15	0.00	29.89
11	0054	7	FEW:02 250	10.00		65	18.3	58	14.4	52	11.1	63	6	160		29.71	0	-0.01	29.89	FM-15	0.00	29.89
11	0100	4		9.94		65	18.3	58	14.4	52	11.1	63	6	160		29.71	9	+0.01	29.89	FM-12		
11	0154	7	FEW:02 300	10.00		64	17.8	57	13.9	52	11.1	65	6	180		29.70			29.89	FM-15	0.00	29.88
11	0254	7	FEW:02 300	10.00		64	17.8	57	13.9	52	11.1	65	3	190		29.70			29.88	FM-15	0.00	29.88
11	0354	7	FEW:02 300	10.00		64	17.8	58	14.4	53	11.7	68	5	200		29.70	5	+0.01	29.89	FM-15	0.00	29.88
11	0454	7	SCT:04 300	8.00		62	16.7	57	13.9	53	11.7	73	5	190		29.71			29.90	FM-15	0.00	29.89
11	0554	7	FEW:02 300	8.00		63	17.2	58	14.4	55	12.8	75	5	190		29.72			29.91	FM-15	0.00	29.90
11	0654	7	CLR:00	9.00		67	19.4	60	15.6	55	12.8	66	8	210		29.73	1	-0.03	29.92	FM-15	0.00	29.91
11	0700	4		8.70		67	19.4	60	15.6	55	12.8	66	8	210		29.73	1	-0.03	29.92	FM-12		
11	0754	7	CLR:00	9.00		73	22.8	63	17.2	56	13.3	55	7	210		29.74			29.93	FM-15	0.00	29.92
11	0854	7	CLR:00	10.00		77	25.0	65	18.3	58	14.4	52	8	190		29.74			29.93	FM-15	0.00	29.92
11	0954	7	CLR:00	10.00		81	27.2	67	19.4	58	14.4	45	8	210		29.73	0	0.00	29.92	FM-15	0.00	29.91
11	1054	7	SCT:04 300	10.00		85	29.4	68	20.0	58	14.4	40	11	230		29.71			29.90	FM-15	0.00	29.89
11	1154	7	SCT:04 65 SCT:04 300	10.00		85	29.4	67	19.4	56	13.3	37	14	220	21	29.69			29.88	FM-15	0.00	29.87
11	1254	7	FEW:02 70 SCT:04 300	10.00		88	31.1	67	19.4	53	11.7	30	13	190		29.67	8	+0.06	29.86	FM-15	0.00	29.85
11	1300	4	74	9.94		88	31.1	67	19.4	53	11.7	30	13	190		29.67	8	+0.06	29.86	FM-12		
11	1354	7	SCT:04 70 BKN:07 300	10.00		87	30.6	66	18.9	52	11.1	30	15	180	22	29.65			29.84	FM-15	0.00	29.83
11	1454	7	FEW:02 75 BKN:07 300	10.00		87	30.6	67	19.4	54	12.2	32	15	200	22	29.63			29.82	FM-15	0.00	29.81
11	1554	7	SCT:04 70 BKN:07 300	10.00		87	30.6	66	18.9	53	11.7	31	15	240		29.63	6	+0.04	29.82	FM-15	0.00	29.81
11	1654	7	FEW:02 70 BKN:07 250	10.00		85	29.4	67	19.4	55	12.8	36	15	210		29.63			29.81	FM-15	0.00	29.81
11	1754	7	FEW:02 75 BKN:07 250	10.00		83	28.3	66	18.9	56	13.3	40	13	190		29.62			29.81	FM-15	0.00	29.80
11	1854	7	FEW:02 70 BKN:07 250	10.00		81	27.2	66	18.9	56	13.3	42	9	180		29.61	8	+0.01	29.80	FM-15	0.00	29.79
11	1900	4	74	9.94		81	27.2	66	18.9	56	13.3	42	9	180		29.61	8	+0.01	29.80	FM-12		
11	1954	7	BKN:07 250	10.00		78	25.6	65	18.3	57	13.9	48	8	160		29.61			29.80	FM-15	0.00	29.79
11	2054	7	BKN:07 250	10.00		77	25.0	65	18.3	58	14.4	52	11	160		29.61			29.80	FM-15	0.00	29.79
11	2154	7	BKN:07 250	10.00		76	24.4	66	18.9	59	15.0	56	11	170		29.61	3	0.00	29.80	FM-15	0.00	29.79
11	2254	7	BKN:07 250	10.00		75	23.9	66	18.9	60	15.6	60	11	170		29.60			29.79	FM-15	0.00	29.78
11	2354	7	OVC:08 180	10.00		75	23.9	66	18.9	61	16.1	62	10	170		29.59			29.78	FM-15	0.00	29.77
12	0054	7	SCT:04 34 BKN:07 90 OVC:08 110	8.00	-RA:02 RA RA	72	22.2	67	19.4	64	17.8	76	9	180		29.59	6	+0.03	29.78	FM-15	T	29.77
12	0100	4	41	7.46	RA	72	22.2	67	19.4	64	17.8	76	9	180		29.59	6	+0.03	29.78	FM-12		
12	0154	7	FEW:02 90	10.00		71	21.7	67	19.4	64	17.8	79	7	160		29.56			29.75	FM-15	T	29.74

14	0254	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	5	200		29.49			29.68	FM-15	0.00	29.67
14	0354	7	CLR:00	10.00		60	15.6	57	13.9	54	12.2	80	3	170		29.48	6	+0.04	29.67	FM-15	0.00	29.66
14	0454	7	CLR:00	10.00		58	14.4	55	12.8	52	11.1	81	7	200		29.48			29.67	FM-15	0.00	29.66
14	0554	7	FEW:02 250	10.00		61	16.1	57	13.9	53	11.7	75	5	180		29.48			29.67	FM-15	0.00	29.66
14	0654	7	FEW:02 250	10.00		67	19.4	59	15.0	52	11.1	59	10	220		29.48	8	0.00	29.67	FM-15	0.00	29.66
14	0700	4		9.94		67	19.4	59	15.0	52	11.1	59	10	220		29.48			29.67	FM-12		
14	0754	7	FEW:02 250	10.00		73	22.8	60	15.6	50	10.0	44	15	240		29.47			29.66	FM-15	0.00	29.65
14	0854	7	SCT:04 200 BKN:07 250	10.00		78	25.6	62	16.7	51	10.6	39	16	250		29.47			29.66	FM-15	0.00	29.65
14	0954	7	SCT:04 200 BKN:07 250	10.00		79	26.1	63	17.2	51	10.6	38	14	250		29.47	8	+0.02	29.65	FM-15	0.00	29.64
14	1054	7	SCT:04 180 BKN:07 250	10.00		82	27.8	63	17.2	50	10.0	33	14	240	26	29.45			29.64	FM-15	0.00	29.63
14	1154	7	BKN:07 100 OVC:08 120	10.00		79	26.1	62	16.7	50	10.0	36	16	250	29	29.45			29.64	FM-15	0.00	29.63
14	1254	7	BKN:07 100 OVC:08 120	10.00		79	26.1	63	17.2	51	10.6	38	15	250	23	29.45	5	+0.01	29.64	FM-15	0.00	29.63
14	1300	4		9.94		79	26.1	63	17.2	51	10.6	38	15	250		29.45	5	+0.01	29.64	FM-12		
14	1354	7	BKN:07 100 OVC:08 120	10.00		81	27.2	64	17.8	53	11.7	38	16	240	22	29.44			29.63	FM-15	0.00	29.62
14	1454	7	BKN:07 80 OVC:08 100	10.00		79	26.1	64	17.8	54	12.2	42	11	260		29.45			29.63	FM-15	0.00	29.63
14	1554	7	FEW:02 55 BKN:07 85 OVC:08 110	10.00		79	26.1	65	18.3	55	12.8	44	13	250		29.45	5	+0.01	29.64	FM-15	0.00	29.63
14	1654	7	FEW:02 55 BKN:07 90 BKN:07 110	10.00		79	26.1	64	17.8	54	12.2	42	14	270	22	29.44			29.62	FM-15	0.00	29.62
14	1754	7	FEW:02 60 FEW:02 75 SCT:04 100	10.00		80	26.7	64	17.8	54	12.2	41	14	270		29.45			29.64	FM-15	0.00	29.63
14	1854	7	FEW:02 85 SCT:04 100	10.00		78	25.6	64	17.8	54	12.2	43	11	270		29.47	3	-0.01	29.65	FM-15	0.00	29.64
14	1900	4		9.94		78	25.6	64	17.8	54	12.2	43	11	270		29.46	3	-0.01	29.65	FM-12		
14	1954	7	FEW:02 50 SCT:04 110 BKN:07 300	10.00		76	24.4	63	17.2	55	12.8	48	7	280		29.47			29.65	FM-15	0.00	29.64
14	2054	6	FEW:02 80 BKN:07 110 BKN:07 300	10.00		76	24.4	63	17.2	55	12.8	48	7	270		29.49			29.68	FM-15	0.00	29.67
14	2154	7	SCT:04 95 BKN:07 130 BKN:07 220	10.00		74	23.3	63	17.2	56	13.3	54	6	260		29.50	1	-0.04	29.69	FM-15	0.00	29.68
14	2254	7	SCT:04 90 BKN:07 130	10.00		73	22.8	63	17.2	56	13.3	55	3	280		29.49			29.67	FM-15	0.00	29.67
14	2354	6	FEW:02 90 SCT:04 130	10.00		69	20.6	62	16.7	57	13.9	66	0	000		29.49			29.68	FM-15	0.00	29.67
15	0054	7	BKN:07 80 BKN:07 130	10.00		67	19.4	62	16.7	58	14.4	73	3	270		29.52	3	-0.01	29.69	FM-15	0.00	29.69
15	0154	7	BKN:07 85 OVC:08 120	10.00		66	18.9	61	16.1	57	13.9	73	5	200		29.50			29.68	FM-15	T	29.68
15	0254	7	FEW:02 80 SCT:04 130	10.00		64	17.8	60	15.6	57	13.9	78	5	360		29.49			29.68	FM-15	0.00	29.67
15	0354	7	FEW:02 130	10.00		63	17.2	58	14.4	55	12.8	75	5	320		29.50	5	+0.01	29.68	FM-15	0.00	29.68
15	0454	7	FEW:02 130 SCT:04 300	10.00		63	17.2	58	14.4	55	12.8	75	0	000		29.52			29.70	FM-15	0.00	29.69
15	0554	6	SCT:04 70 SCT:04 300	10.00		63	17.2	60	15.6	57	13.9	81	0	000		29.54			29.73	FM-15	0.00	29.72
15	0654	7	FEW:02 70 SCT:04 300	10.00		70	21.1	62	16.7	56	13.3	61	0	000		29.56	3	-0.06	29.75	FM-15	0.00	29.74

15	0700	4	74	9.94		70	21.1	62	16.7	56	13.3	61	0	000		29.56	3	-0.06	29.75	FM-12		
15	0754	7	FEW:02 70 SCT:04 250	10.00		73	22.8	62	16.7	54	12.2	51	6	030		29.57			29.76	FM-15	0.00	29.75
15	0854	6	SCT:04 250	10.00		76	24.4	63	17.2	54	12.2	47	6	040		29.58			29.77	FM-15	0.00	29.76
15	0954	7	FEW:02 100 SCT:04 250	10.00		77	25.0	62	16.7	51	10.6	40	3	VRB		29.58	1	-0.02	29.77	FM-15	0.00	29.76
15	1054	7	FEW:02 70 SCT:04 100 SCT:04 250	10.00		80	26.7	63	17.2	51	10.6	37	5	230		29.57			29.76	FM-15	0.00	29.75
15	1154	7	FEW:02 45 SCT:04 180	10.00		82	27.8	64	17.8	51	10.6	34	7	330		29.56			29.75	FM-15	0.00	29.74
15	1254	7	FEW:02 70 SCT:04 90	10.00		84	28.9	64	17.8	51	10.6	32	0	000		29.56	6	+0.02	29.75	FM-15	0.00	29.74
15	1300	4	74	9.94		84	28.9	64	17.8	51	10.6	32	0	000		29.56	6	+0.02	29.75	FM-12		
15	1354	7	FEW:02 80	10.00		85	29.4	65	18.3	52	11.1	32	10	280		29.55			29.74	FM-15	0.00	29.73
15	1454	7	SCT:04 60	10.00		84	28.9	66	18.9	54	12.2	36	7	280		29.54			29.72	FM-15	0.00	29.72
15	1554	7	SCT:04 70	10.00		85	29.4	67	19.4	55	12.8	36	7	230		29.53	6	+0.03	29.72	FM-15	0.00	29.71
15	1654	7	SCT:04 70 BKN:07 200	10.00		84	28.9	66	18.9	55	12.8	37	0	000		29.53			29.72	FM-15	0.00	29.71
15	1754	7	FEW:02 60 SCT:04 250	10.00		82	27.8	67	19.4	57	13.9	42	9	230		29.54			29.72	FM-15	0.00	29.72
15	1854	7	FEW:02 55 SCT:04 250	10.00		78	25.6	66	18.9	59	15.0	52	5	180		29.55	3	-0.02	29.74	FM-15	0.00	29.73
15	1900	4	57	9.94		78	25.6	66	18.9	59	15.0	52	5	180		29.55	3	-0.02	29.74	FM-12		
15	1954	7	FEW:02 55 SCT:04 250	10.00		73	22.8	65	18.3	60	15.6	64	6	200		29.55			29.74	FM-15	0.00	29.73
15	2054	7	FEW:02 55 FEW:02 250	10.00		73	22.8	65	18.3	60	15.6	64	3	170		29.57			29.75	FM-15	0.00	29.75
15	2154	7	FEW:02 250	10.00		71	21.7	64	17.8	60	15.6	68	0	000		29.56	0	-0.01	29.75	FM-15	0.00	29.74
15	2254	7	CLR:00	10.00		70	21.1	64	17.8	60	15.6	71	0	000		29.57			29.75	FM-15	0.00	29.75
15	2354	7	CLR:00	10.00		68	20.0	64	17.8	61	16.1	78	6	120		29.57			29.75	FM-15	0.00	29.75
16	0054	7	SCT:04 300	10.00		67	19.4	63	17.2	61	16.1	81	3	150		29.56	8	0.00	29.75	FM-15	0.00	29.74
16	0100	4		9.94		67	19.4	63	17.2	61	16.1	81	3	150		29.56	8	0.00	29.75	FM-12		
16	0154	7	FEW:02 60 SCT:04 300	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.56			29.75	FM-15	0.00	29.74
16	0254	7	FEW:02 90 SCT:04 300	10.00		66	18.9	64	17.8	62	16.7	87	3	110		29.55			29.74	FM-15	0.00	29.73
16	0354	7	SCT:04 300	9.00		65	18.3	63	17.2	61	16.1	87	0	000		29.53	8	+0.03	29.72	FM-15	0.00	29.71
16	0454	7	SCT:04 300	6.00	BR:1	65	18.3	63	17.2	62	16.7	90	0	000		29.53			29.72	FM-15	0.00	29.71
16	0554	7	FEW:02 300	7.00		65	18.3	63	17.2	61	16.1	87	0	000		29.52			29.71	FM-15	0.00	29.70
16	0654	7	FEW:02 180	7.00		69	20.6	66	18.9	64	17.8	84	7	200		29.52	5	+0.01	29.71	FM-15	0.00	29.70
16	0700	4		6.84		69	20.6	66	18.9	64	17.8	84	7	200		29.52	5	+0.01	29.71	FM-12		
16	0754	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	6	260		29.52			29.71	FM-15	0.00	29.70
16	0854	7	BKN:07 120 OVC:08 180	9.00		77	25.0	69	20.6	64	17.8	64	5	240		29.54			29.72	FM-15	0.00	29.72
16	0954	7	FEW:02 60 BKN:07 120 BKN:07 300	10.00		81	27.2	71	21.7	65	18.3	58	3	260		29.54	1	-0.02	29.73	FM-15	0.00	29.72
16	1054	7	BKN:07 90 OVC:08 150	9.00		82	27.8	71	21.7	65	18.3	56	3	170		29.52			29.70	FM-15	0.00	29.69
16	1154	7	FEW:02 48 SCT:04 65 BKN:07 110	10.00		81	27.2	71	21.7	65	18.3	58	21	020	26	29.52			29.70	FM-15	0.00	29.69
16	1254	7	FEW:02 60 SCT:04 110 BKN:07 300	10.00		83	28.3	71	21.7	65	18.3	55	0	000		29.47	8	+0.07	29.66	FM-15	0.00	29.65
16	1300	4	57	9.94		83	28.3	71	21.7	65	18.3	55	0	000		29.47	8	+0.07	29.66	FM-12		
16	1354	7	SCT:04 55	10.00	-RA:02 RA RA	79	26.1	70	21.1	65	18.3	62	0	000		29.45			29.64	FM-15	T	29.63

17	2054	6	BKN:07 80	9.00		73	22.8	63	17.2	57	13.9	57	0	000		29.69			29.88	FM-15	0.00	29.87
17	2154	7	BKN:07 75 BKN:07 95	9.00		73	22.8	63	17.2	56	13.3	55	0	000		29.71	3	-0.06	29.90	FM-15	0.00	29.89
17	2254	7	FEW:02 80 BKN:07 95	8.00		67	19.4	61	16.1	57	13.9	71	0	000		29.72			29.91	FM-15	0.00	29.90
17	2354	7	BKN:07 90	8.00		66	18.9	60	15.6	56	13.3	70	0	000		29.72			29.91	FM-15	0.00	29.90
18	0054	7	BKN:07 90	8.00		65	18.3	59	15.0	54	12.2	68	3	180		29.72	0	-0.01	29.91	FM-15	0.00	29.90
18	0100	4		7.46		65	18.3	59	15.0	54	12.2	68	3	180		29.72	9	+0.01	29.91	FM-12		
18	0154	7	SCT:04 80 BKN:07 90	8.00		64	17.8	59	15.0	56	13.3	75	0	000		29.71			29.90	FM-15	0.00	29.89
18	0254	7	BKN:07 80	10.00		64	17.8	59	15.0	55	12.8	73	0	000		29.70			29.89	FM-15	0.00	29.88
18	0354	7	BKN:07 70	10.00		62	16.7	58	14.4	55	12.8	78	0	000		29.70	5	+0.01	29.89	FM-15	0.00	29.88
18	0454	7	SCT:04 70	10.00		61	16.1	56	13.3	52	11.1	72	0	000		29.71			29.90	FM-15	0.00	29.89
18	0554	6	BKN:07 70	8.00		64	17.8	57	13.9	52	11.1	65	0	000		29.73			29.92	FM-15	0.00	29.91
18	0654	7	SCT:04 70 BKN:07 120	10.00		68	20.0	59	15.0	53	11.7	59	7	350		29.76	3	-0.05	29.94	FM-15	0.00	29.94
18	0700	4	74	9.94		68	20.0	59	15.0	53	11.7	59	7	350		29.76	3	-0.05	29.94	FM-12		
18	0754	7	SCT:04 70 BKN:07 120	10.00		72	22.2	62	16.7	54	12.2	53	6	020		29.76			29.94	FM-15	0.00	29.94
18	0854	7	CLR:00	10.00		76	24.4	63	17.2	53	11.7	45	6	020		29.76			29.95	FM-15	0.00	29.94
18	0954	7	FEW:02 250	10.00		79	26.1	63	17.2	52	11.1	39	3	140		29.77	3	-0.02	29.96	FM-15	0.00	29.95
18	1054	7	FEW:02 75 SCT:04 300	10.00		82	27.8	63	17.2	49	9.4	32	5	330		29.77			29.96	FM-15	0.00	29.95
18	1154	7	SCT:04 70	10.00		82	27.8	63	17.2	49	9.4	32	6	VRB		29.75			29.94	FM-15	0.00	29.93
18	1254	7	FEW:02 75	10.00		83	28.3	64	17.8	50	10.0	32	0	000		29.72	8	+0.05	29.91	FM-15	0.00	29.90
18	1300	4	74	9.94		83	28.3	64	17.8	50	10.0	32	0	000		29.72	8	+0.05	29.91	FM-12		
18	1354	7	SCT:04 70	10.00		85	29.4	64	17.8	49	9.4	29	6	VRB		29.72			29.91	FM-15	0.00	29.90
18	1454	7	FEW:02 70	10.00		86	30.0	65	18.3	50	10.0	29	3	VRB		29.73			29.92	FM-15	0.00	29.91
18	1554	7	FEW:02 70	10.00		86	30.0	65	18.3	50	10.0	29	7	210		29.72	8	+0.01	29.91	FM-15	0.00	29.90
18	1654	7	FEW:02 70	10.00		85	29.4	64	17.8	50	10.0	30	0	000		29.71			29.90	FM-15	0.00	29.89
18	1754	7	CLR:00	10.00		83	28.3	64	17.8	51	10.6	33	6	200		29.70			29.89	FM-15	0.00	29.88
18	1854	7	CLR:00	10.00		81	27.2	64	17.8	52	11.1	37	5	160		29.70	5	+0.01	29.89	FM-15	0.00	29.88
18	1900	4		9.94		81	27.2	64	17.8	52	11.1	37	5	160		29.70	5	+0.01	29.89	FM-12		
18	1954	7	CLR:00	10.00		73	22.8	63	17.2	57	13.9	57	5	130		29.71			29.90	FM-15	0.00	29.89
18	2054	7	CLR:00	10.00		72	22.2	62	16.7	55	12.8	55	3	130		29.73			29.92	FM-15	0.00	29.91
18	2154	7	CLR:00	10.00		69	20.6	62	16.7	58	14.4	68	7	140		29.75	3	-0.05	29.94	FM-15	0.00	29.93
18	2254	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	6	140		29.75			29.94	FM-15	0.00	29.93
18	2354	7	CLR:00	10.00		66	18.9	61	16.1	58	14.4	75	5	130		29.76			29.95	FM-15	0.00	29.94
19	0054	7	FEW:02 250	10.00		66	18.9	62	16.7	59	15.0	78	5	120		29.75	0	0.00	29.94	FM-15	0.00	29.93
19	0100	4		9.94		66	18.9	62	16.7	59	15.0	78	5	120		29.75	9	0.00	29.94	FM-12		
19	0154	7	FEW:02 250	10.00		66	18.9	62	16.7	59	15.0	78	0	000		29.75			29.93	FM-15	0.00	29.93
19	0254	7	FEW:02 75 FEW:02 250	10.00		65	18.3	62	16.7	60	15.6	84	0	000		29.75			29.94	FM-15	0.00	29.93
19	0354	7	FEW:02 75 FEW:02 250	10.00		65	18.3	63	17.2	62	16.7	90	0	000		29.75	6	0.00	29.94	FM-15	0.00	29.93
19	0454	7	SCT:04 75 BKN:07 250	8.00		64	17.8	62	16.7	61	16.1	90	3	130		29.77			29.96	FM-15	0.00	29.95
19	0554	7	BKN:07 80 BKN:07 250	8.00		66	18.9	64	17.8	63	17.2	90	3	140		29.79			29.98	FM-15	0.00	29.97
19	0654	7	SCT:04 85 SCT:04 250	7.00		71	21.7	68	20.0	66	18.9	84	5	180		29.80	1	-0.05	29.98	FM-15	0.00	29.98
19	0700	4		6.84		71	21.7	68	20.0	66	18.9	84	5	180		29.80	1	-0.05	29.98	FM-12		
19	0738	7	BKN:07 20	10.00		73	22.8	69	20.6	66	18.9	79	7	190		29.80				FM-16		29.98
19	0754	7	BKN:07 23	10.00		75	23.9	70	21.1	67	19.4	76	7	180		29.81			30.00	FM-15	0.00	29.99
19	0810	7	FEW:02 20	10.00		77	25.0	70	21.1	67	19.4	71	9	180		29.81				FM-16		29.99

21	0118	7	BKN:07 19 BKN:07 26 OVC:08 110	10.00	-RA:02 RA RA	69	20.6	66	18.9	64	17.8	84	10	030		29.84				FM-16	T	30.02
21	0154	7	BKN:07 19 BKN:07 26 OVC:08 110	6.00	-RA:02 BR:1 RA RA	68	20.0	66	18.9	64	17.8	87	11	020		29.82			30.01	FM-15	0.01	30.00
21	0254	7	BKN:07 9 OVC:08 32	7.00	-RA:02 RA RA	68	20.0	66	18.9	65	18.3	90	13	010		29.81			30.00	FM-15	0.05	29.99
21	0354	7	BKN:07 8 BKN:07 13 OVC:08 26	9.00	-RA:02 RA RA	68	20.0	66	18.9	65	18.3	90	13	030		29.80	6	+0.04	29.99	FM-15	0.01	29.98
21	0452	6	SCT:04 9 BKN:07 14 OVC:08 85	5.00	-RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	94	16	040	26	29.80				FM-16		29.98
21	0454	7	BKN:07 9 BKN:07 12 OVC:08 17	4.00	-RA:02 BR:1 RA RA	67	19.4	65	18.3	64	17.8	91	16	040	26	29.80			29.99	FM-15	0.07	29.98
21	0554	7	BKN:07 9 BKN:07 17 OVC:08 80	6.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	62	16.7	87	21	030	31	29.79			29.98	FM-15	0.12	29.97
21	0646	7	BKN:07 12 BKN:07 23 OVC:08 85	5.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	17	020	30	29.79				FM-16	0.01	29.97
21	0654	7	BKN:07 10 BKN:07 20 OVC:08 60	4.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	17	030	28	29.80	5	+0.01	29.98	FM-15	0.02	29.98
21	0700	4	15	3.73	RA	66	18.9	64	17.8	63	17.2	90	17	030		29.80	5	+0.01	29.98	FM-12		
21	0700	7	BKN:07 8 BKN:07 13 OVC:08 60	2.50	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	18	020	28	29.80				FM-16	0.01	29.98
21	0707	7	BKN:07 10 BKN:07 13 OVC:08 23	2.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	20	020	30	29.80				FM-16	0.03	29.98
21	0742	7	BKN:07 10 BKN:07 15 OVC:08 31	1.50	+RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	20	030	36	29.79				FM-16	0.10	29.97
21	0750	7	BKN:07 10 BKN:07 17 OVC:08 26	1.25	+RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	88	22	030	33	29.79				FM-16	0.13	29.97
21	0754	7	BKN:07 10 BKN:07 17 OVC:08 55	1.25	RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	26	030	33	29.79			29.98	FM-15	0.16	29.97
21	0804	7	BKN:07 10 BKN:07 20 OVC:08 27	1.50	+RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	17	030	30	29.79				FM-16	0.03	29.97
21	0812	7	BKN:07 8 BKN:07 16 OVC:08 28	1.75	RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	17	040		29.80				FM-16	0.06	29.98
21	0823	7	BKN:07 10 BKN:07 16 OVC:08 21	1.50	RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	18	020	28	29.80				FM-16	0.11	29.98
21	0834	7	SCT:04 9 BKN:07 14 OVC:08 27	2.50	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	20	030	28	29.80				FM-16	0.13	29.98
21	0852	6	BKN:07 9 OVC:08 13	2.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	88	23	030	29	29.80				FM-16		29.98
21	0854	7	BKN:07 9 OVC:08 13	2.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	21	040	29	29.80			29.99	FM-15	0.16	29.98
21	0859	7	BKN:07 9 BKN:07 13 OVC:08 20	3.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	62	16.7	87	23	050	38	29.80				FM-16	0.01	29.98
21	0914	7	SCT:04 9 BKN:07 13 OVC:08 28	2.50	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	23	050	40	29.81				FM-16	0.01	29.99

21	0936	7	BKN:07 13 OVC:08 20	4.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	17	050	31	29.81				FM-16	0.03	29.99
21	0954	7	BKN:07 12 OVC:08 17	5.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	18	040	30	29.81	3	-0.02	30.00	FM-15	0.03	29.99
21	1006	7	SCT:04 10 BKN:07 16 OVC:08 21	10.00	-RA:02 RA RA	66	18.9	64	17.8	62	16.7	87	21	040	31	29.82				FM-16	0.01	30.00
21	1018	7	FEW:02 9 BKN:07 14 OVC:08 22	10.00	-RA:02 RA RA	66	18.9	64	17.8	62	16.7	87	22	060	37	29.82				FM-16	0.01	30.00
21	1037	7	SCT:04 14 OVC:08 21	9.00	-RA:02 RA RA	65	18.3	63	17.2	61	16.1	87	21	050	40	29.82				FM-16	0.01	30.00
21	1054	7	OVC:08 20	9.00		65	18.3	63	17.2	61	16.1	87	24	050	34	29.82			30.01	FM-15	T	30.00
21	1133	7	OVC:08 14	5.00	BR:1	64	17.8	62	16.7	61	16.1	90	18	040	28	29.83				FM-16	T	30.01
21	1154	7	OVC:08 11	3.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	18	040	30	29.82			30.01	FM-15	T	30.00
21	1221	7	SCT:04 9 OVC:08 14	2.50	-RA:02 BR:1 RA RA	65	18.3	63	17.2	61	16.1	87	20	040	28	29.82				FM-16	0.01	30.00
21	1225	7	BKN:07 9 OVC:08 14	1.75	+RA:02 BR:1 RA RA	65	18.3	63	17.2	61	16.1	87	18	040	28	29.82				FM-16	0.01	30.00
21	1234	7	BKN:07 9 OVC:08 17	3.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	20	050	29	29.81				FM-16	0.03	29.99
21	1240	7	BKN:07 9 OVC:08 17	1.75	+RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	22	050	34	29.81				FM-16	0.03	29.99
21	1252	6	BKN:07 9 OVC:08 17	2.50	-RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	94	23	050	33	29.81				FM-16		29.99
21	1254	7	BKN:07 9 OVC:08 17	2.50	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	20	050	33	29.81	8	0.00	30.00	FM-15	0.06	29.99
21	1259	7	SCT:04 10 OVC:08 15	3.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	23	050	31	29.81				FM-16	T	29.99
21	1300	4	8	2.49	RA	65	18.3	63	17.2	62	16.7	90	20	050		29.81	8	0.00	30.00	FM-12		
21	1329	7	BKN:07 12 OVC:08 16	3.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	20	040	30	29.81				FM-16	0.01	29.99
21	1337	7	BKN:07 12 OVC:08 16	2.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	17	040	31	29.81				FM-16	0.01	29.99
21	1352	7	BKN:07 12 OVC:08 16	4.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	88	17	040	29	29.81				FM-16	0.02	29.99
21	1354	7	BKN:07 12 OVC:08 16	4.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	22	040	29	29.81			30.00	FM-15	0.02	29.99
21	1419	7	OVC:08 9	2.50	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	17	050	24	29.81				FM-16	0.01	29.99
21	1430	7	BKN:07 9 OVC:08 14	4.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	18	050	29	29.81				FM-16	0.01	29.99
21	1447	7	SCT:04 10 OVC:08 15	4.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	21	050	29	29.80				FM-16	0.02	29.98
21	1452	6	BKN:07 9 OVC:08 15	4.00	-RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	94	17	060	29	29.80				FM-16		29.98
21	1454	7	BKN:07 9 OVC:08 15	4.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	61	16.1	87	15	050	29	29.80			29.99	FM-15	0.02	29.98
21	1511	7	BKN:07 10 OVC:08 20	4.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	61	16.1	87	20	050	29	29.80				FM-16	T	29.98
21	1537	7	BKN:07 9 OVC:08 19	2.50	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	15	040	26	29.80				FM-16	T	29.98
21	1554	7	BKN:07 9 OVC:08 19	3.00	-RA:02 BR:1 RA RA	65	18.3	63	17.2	61	16.1	87	21	060	29	29.80	7	+0.01	29.99	FM-15	0.01	29.98
21	1616	7	BKN:07 11 OVC:08 25	6.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	20	050	30	29.80				FM-16	T	29.98
21	1654	7	OVC:08 12	6.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	21	050	29	29.80			29.99	FM-15	T	29.98
21	1708	7	OVC:08 11	1.50	+RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	20	060	26	29.80				FM-16		29.98
21	1719	7	OVC:08 11	6.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	17	030	25	29.80				FM-16	0.02	29.98
21	1754	7	OVC:08 9	4.00	-RA:02 BR:1 RA RA	64	17.8	63	17.2	62	16.7	93	14	050		29.81			30.00	FM-15	0.04	29.99

21	1854	7	OVC:08 9	2.50	-RA:02 BR:1 RA RA	65	18.3	63	17.2	62	16.7	90	15	050	22	29.81	3	-0.01	30.00	FM-15	0.02	29.99
21	1900	4	8	2.49	RA	65	18.3	63	17.2	62	16.7	90	15	050		29.81	3	-0.01	30.00	FM-12		
21	1932	7	BKN:07 9 OVC:08 21	3.00	BR:1	65	18.3	63	17.2	62	16.7	90	14	050		29.82				FM-16	0.03	30.00
21	1954	7	OVC:08 9	4.00	BR:1	65	18.3	63	17.2	62	16.7	90	15	050		29.82			30.01	FM-15	0.03	30.00
21	2054	7	OVC:08 8	3.00	BR:1	64	17.8	63	17.2	62	16.7	93	11	050	21	29.83			30.02	FM-15	T	30.01
21	2154	7	OVC:08 7	8.00	-DZ:01 DZ DZ	64	17.8	62	16.7	61	16.1	90	11	050		29.83	3	-0.02	30.02	FM-15	T	30.01
21	2254	7	OVC:08 8	4.00	-DZ:01 BR:1 DZ DZ	64	17.8	63	17.2	62	16.7	93	11	050		29.83			30.02	FM-15	T	30.01
21	2354	7	OVC:08 7	5.00	BR:1	65	18.3	63	17.2	62	16.7	90	10	040		29.83			30.02	FM-15	T	30.01
22	0054	7	OVC:08 6	5.00	BR:1	65	18.3	64	17.8	63	17.2	93	6	030		29.82	8	+0.01	30.01	FM-15	0.00	30.00
22	0100	4	5	4.97		65	18.3	64	17.8	63	17.2	93	6	030		29.82	8	+0.01	30.01	FM-12		
22	0130	7	OVC:08 6	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	7	030		29.82				FM-16		30.00
22	0154	7	OVC:08 5	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	8	040		29.82			30.01	FM-15	0.00	30.00
22	0230	7	OVC:08 4	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	6	030		29.82				FM-16		30.00
22	0254	7	OVC:08 4	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	10	030		29.83			30.01	FM-15	0.00	30.01
22	0354	7	OVC:08 4	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	7	010		29.83	3	-0.01	30.02	FM-15	0.00	30.01
22	0454	7	OVC:08 5	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	8	010		29.84			30.03	FM-15	0.00	30.02
22	0517	7	OVC:08 5	1.00	BR:1	65	18.3	64	17.8	63	17.2	93	8	010		29.85				FM-16		30.03
22	0554	7	OVC:08 5	1.00	BR:1	65	18.3	64	17.8	63	17.2	93	8	030		29.85			30.04	FM-15	0.00	30.03
22	0636	7	OVC:08 4	2.00	BR:1	65	18.3	64	17.8	63	17.2	93	10	030		29.85				FM-16		30.03
22	0654	7	OVC:08 4	2.00	BR:1	66	18.9	65	18.3	64	17.8	93	10	030		29.85	0	-0.02	30.04	FM-15	0.00	30.03
22	0700	4	5	1.99		66	18.9	65	18.3	64	17.8	93	10	030		29.85	9	+0.02	30.04	FM-12		
22	0752	6	OVC:08 5	2.00	BR:1	66	18.9	65	18.3	64	17.8	94	8	060		29.87				FM-16		30.05
22	0754	7	OVC:08 5	2.00	BR:1	67	19.4	65	18.3	64	17.8	91	10	060		29.87			30.06	FM-15	0.00	30.05
22	0852	6	OVC:08 5	4.00	BR:1	68	20.0	66	18.9	64	17.8	88	11	070		29.87				FM-16		30.05
22	0854	7	OVC:08 5	4.00	BR:1	67	19.4	66	18.9	65	18.3	93	11	070		29.87			30.06	FM-15	T	30.05
22	0954	7	OVC:08 7	10.00		69	20.6	67	19.4	66	18.9	90	9	080		29.87	3	0.00	30.06	FM-15	0.00	30.05
22	1054	7	OVC:08 6	9.00		70	21.1	67	19.4	66	18.9	87	13	080		29.86			30.05	FM-15	0.00	30.04
22	1154	7	OVC:08 7	10.00		71	21.7	68	20.0	66	18.9	84	8	070		29.85			30.04	FM-15	0.00	30.03
22	1254	7	OVC:08 8	8.00		71	21.7	68	20.0	67	19.4	87	11	060		29.84	8	+0.03	30.03	FM-15	T	30.02
22	1300	4	8	7.46		71	21.7	68	20.0	67	19.4	87	11	060		29.84	8	+0.03	30.03	FM-12		
22	1354	7	OVC:08 7	9.00		72	22.2	69	20.6	67	19.4	84	13	070		29.83			30.01	FM-15	0.00	30.01
22	1454	7	OVC:08 8	8.00	-RA:02 RA RA	71	21.7	68	20.0	67	19.4	87	10	080		29.83			30.02	FM-15	T	30.01
22	1507	7	OVC:08 7	2.50	RA:02 BR:1 RA RA	70	21.1	68	20.0	67	19.4	90	9	070		29.82				FM-16	T	30.00
22	1537	7	OVC:08 8	4.00	-RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	10	060		29.80				FM-16	0.13	29.98
22	1554	7	OVC:08 5	7.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	9	050		29.80	8	+0.04	29.98	FM-15	0.15	29.98
22	1654	6	OVC:08 6	9.00		70	21.1	69	20.6	68	20.0	93	11	070		29.79			29.98	FM-15	T	29.97
22	1712	6	BKN:07 5 OVC:08 40	1.50	+RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	13	050		29.78				FM-16		29.96
22	1726	7	BKN:07 6 OVC:08 22	6.00	-RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	14	070		29.78				FM-16	0.05	29.96
22	1754	7	BKN:07 6 OVC:08 19	9.00	-RA:02 RA RA	70	21.1	69	20.6	68	20.0	93	10	090		29.78			29.97	FM-15	0.06	29.96
22	1854	7	BKN:07 6 BKN:07 14 OVC:08 30	7.00	-RA:02 RA RA	71	21.7	69	20.6	68	20.0	90	9	090		29.78	5	+0.01	29.97	FM-15	0.01	29.96
22	1900	4	5	6.84	RA	71	21.7	69	20.6	68	20.0	90	9	090		29.78	5	+0.01	29.97	FM-12		
22	1954	7	BKN:07 5 OVC:08 22	8.00	-RA:02 RA RA	71	21.7	70	21.1	69	20.6	94	3	VRB		29.78			29.97	FM-15	T	29.96
22	2025	7	SCT:04 5 BKN:07 18 OVC:08 35	10.00		71	21.7	70	21.1	69	20.6	94	8	100		29.78				FM-16	T	29.96
22	2054	7	SCT:04 4 BKN:07 18 OVC:08 35	7.00		71	21.7	70	21.1	69	20.6	94	8	100		29.78			29.97	FM-15	T	29.96

22	2103	7	BKN:07 7 OVC:08 21	7.00		71	21.7	70	21.1	69	20.6	94	7	100		29.79				FM-16		29.97
22	2154	7	BKN:07 6 OVC:08 14	6.00	BR:1	71	21.7	70	21.1	69	20.6	94	9	110		29.79	2	-0.01	29.98	FM-15	T	29.97
22	2254	7	BKN:07 6 OVC:08 14	4.00	-RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	8	120		29.77			29.96	FM-15	T	29.95
22	2354	7	OVC:08 6	6.00	-RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	8	130		29.77			29.96	FM-15	0.02	29.95
23	0054	7	BKN:07 6 OVC:08 18	9.00		73	22.8	71	21.7	70	21.1	90	6	150		29.76	6	+0.03	29.95	FM-15	T	29.94
23	0100	4	5	8.70		73	22.8	71	21.7	70	21.1	90	6	150		29.76	6	+0.03	29.95	FM-12		
23	0120	7	SCT:04 5 BKN:07 12 OVC:08 21	9.00		73	22.8	71	21.7	70	21.1	90	9	150		29.75				FM-16		29.93
23	0154	7	SCT:04 6 BKN:07 12 OVC:08 24	5.00	-RA:02 BR:1 RA RA	73	22.8	71	21.7	70	21.1	90	9	150		29.75			29.94	FM-15	0.01	29.93
23	0202	7	BKN:07 7 OVC:08 13	6.00	-RA:02 BR:1 RA RA	73	22.8	71	21.7	70	21.1	90	8	150		29.75				FM-16	T	29.93
23	0228	7	SCT:04 6 BKN:07 16 OVC:08 25	8.00		73	22.8	71	21.7	70	21.1	90	8	170		29.75				FM-16	T	29.93
23	0252	6	FEW:02 6 BKN:07 12 OVC:08 25	9.00		73	22.8	71	21.7	70	21.1	89	7	160		29.74				FM-16		29.92
23	0254	7	FEW:02 6 BKN:07 12 OVC:08 25	9.00		73	22.8	71	21.7	70	21.1	90	8	160		29.74			29.93	FM-15	T	29.92
23	0332	7	SCT:04 11 BKN:07 17 OVC:08 70	7.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	90	8	170		29.74				FM-16	T	29.92
23	0340	7	FEW:02 9 SCT:04 26 SCT:04 75	9.00		73	22.8	71	21.7	70	21.1	90	7	160		29.74				FM-16	T	29.92
23	0354	7	FEW:02 9 SCT:04 30 BKN:07 80	8.00	RA RA	73	22.8	71	21.7	70	21.1	90	6	170		29.74	6	+0.02	29.93	FM-15	T	29.92
23	0406	7	BKN:07 8 OVC:08 21	7.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	90	6	160		29.74				FM-16	T	29.92
23	0438	7	OVC:08 5	1.50	-RA:02 BR:1 RA RA	73	22.8	72	22.2	71	21.7	94	6	160		29.75				FM-16	0.03	29.93
23	0446	7	BKN:07 4 BKN:07 30 OVC:08 65	3.00	-RA:02 BR:1 RA RA	73	22.8	72	22.2	71	21.7	94	7	130		29.75				FM-16	0.12	29.93
23	0454	7	SCT:04 3 BKN:07 33 OVC:08 95	4.00	BR:1	72	22.2	71	21.7	70	21.1	94	6	140		29.75			29.93	FM-15	0.14	29.93
23	0503	7	SCT:04 3 BKN:07 13 OVC:08 44	5.00	BR:1	73	22.8	71	21.7	70	21.1	90	7	150		29.75				FM-16		29.93
23	0517	7	BKN:07 8 OVC:08 24	6.00	BR:1	73	22.8	72	22.2	71	21.7	94	5	160		29.75				FM-16		29.93
23	0554	7	BKN:07 5 OVC:08 12	4.00	BR:1	73	22.8	72	22.2	71	21.7	94	7	170		29.76			29.95	FM-15	0.00	29.94
23	0654	7	OVC:08 6	4.00	-RA:02 BR:1 RA RA	74	23.3	72	22.2	71	21.7	91	9	170		29.77	3	-0.03	29.96	FM-15	T	29.95
23	0700	4	5	3.73	RA	74	23.3	72	22.2	71	21.7	91	9	170		29.77	3	-0.03	29.96	FM-12		
23	0719	7	BKN:07 6 BKN:07 36 OVC:08 45	1.25	+RA:02 BR:1 RA RA	73	22.8	71	21.7	70	21.1	90	15	220		29.78				FM-16	0.05	29.96
23	0736	7	FEW:02 6 SCT:04 29 BKN:07 80	10.00		72	22.2	70	21.1	69	20.6	91	6	170		29.77				FM-16	0.23	29.95
23	0754	7	FEW:02 120 BKN:07 180	10.00		74	23.3	71	21.7	70	21.1	88	9	190		29.78			29.97	FM-15	0.23	29.96

23	0854	7	SCT:04 10 BKN:07 60 OVC:08 75	10.00		76	24.4	73	22.8	71	21.7	85	9	170		29.77			29.96	FM-15	T	29.95
23	0954	7	SCT:04 10 SCT:04 18 OVC:08 39	10.00		77	25.0	74	23.3	72	22.2	85	7	160		29.76	8	0.00	29.95	FM-15	T	29.94
23	1044	7	OVC:08 15	10.00	-RA:02 RA RA	74	23.3	71	21.7	70	21.1	88	7	290		29.75				FM-16	T	29.93
23	1054	7	BKN:07 15 BKN:07 29 OVC:08 50	10.00	-RA:02 RA RA	75	23.9	73	22.8	72	22.2	90	7	300		29.75			29.94	FM-15	T	29.93
23	1135	7	FEW:02 8 SCT:04 22 BKN:07 44	10.00		78	25.6	74	23.3	72	22.2	82	3	340		29.74				FM-16	0.01	29.92
23	1154	7	SCT:04 8 SCT:04 18 BKN:07 30	10.00		79	26.1	74	23.3	72	22.2	79	5	VRB		29.73			29.92	FM-15	0.01	29.91
23	1222	7	FEW:02 27 BKN:07 36 OVC:08 46	2.50	TS:7 RA:02 RA TS TS RA	78	25.6	74	23.3	72	22.2	82	7	220		29.73				FM-16	T	29.91
23	1225	7	FEW:02 27 BKN:07 36 OVC:08 46	1.25	TS:7 +RA:02 RA TS TS RA	77	25.0	74	23.3	72	22.2	85	7	230		29.73				FM-16	T	29.91
23	1252	7	FEW:02 27 BKN:07 36 OVC:08 46	3.00	TS:7 -RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	89	6	120		29.73				FM-16	0.29	29.91
23	1254	7	FEW:02 27 BKN:07 36 OVC:08 46	7.00	TS:7 -RA:02 RA TS TS RA	74	23.3	71	21.7	69	20.6	85	3	110		29.73	6	+0.04	29.92	FM-15	0.29	29.91
23	1300	4	26	6.84		74	23.3	71	21.7	69	20.6	85	3	110		29.73	6	+0.04	29.92	FM-12		
23	1339	7	FEW:02 9 BKN:07 60 OVC:08 95	2.50	RA:02 BR:1 RA RA	73	22.8	70	21.1	69	20.6	87	7	260		29.74				FM-16	0.22	29.92
23	1346	7	FEW:02 9 BKN:07 90 OVC:08 110	6.00	-RA:02 BR:1 RA RA	73	22.8	70	21.1	69	20.6	87	5	270		29.74				FM-16	0.23	29.92
23	1354	7	FEW:02 36 BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	73	22.8	70	21.1	69	20.6	87	0	000		29.73			29.92	FM-15	0.23	29.91
23	1402	7	FEW:02 9 BKN:07 95 BKN:07 120	10.00	VCTS:7 -RA:02 RA RA	74	23.3	71	21.7	69	20.6	85	0	000		29.73				FM-16	T	29.91
23	1409	7	FEW:02 9 FEW:02 95 SCT:04 110	10.00		75	23.9	72	22.2	70	21.1	84	0	000		29.73				FM-16	T	29.91
23	1454	7	FEW:02 50 SCT:04 90 BKN:07 120	10.00		77	25.0	72	22.2	70	21.1	79	5	030		29.72			29.91	FM-15	T	29.90
23	1552	6	SCT:04 8 BKN:07 30 BKN:07 80	10.00		75	23.9	73	22.8	72	22.2	89	0	000		29.71				FM-16		29.89
23	1554	7	SCT:04 8 BKN:07 30 BKN:07 80	10.00		76	24.4	73	22.8	71	21.7	85	3	100		29.71	8	+0.02	29.90	FM-15	0.00	29.89
23	1654	7	SCT:04 8 BKN:07 30 BKN:07 90	10.00		76	24.4	73	22.8	72	22.2	88	6	160		29.69			29.88	FM-15	T	29.87
23	1754	7	SCT:04 9 BKN:07 30 OVC:08 110	10.00		74	23.3	71	21.7	70	21.1	88	10	150		29.71			29.90	FM-15	0.00	29.89
23	1854	7	SCT:04 10 BKN:07 30 OVC:08 100	10.00		73	22.8	71	21.7	70	21.1	90	13	140		29.70	6	0.00	29.89	FM-15	T	29.88
23	1900	4	15	9.94		73	22.8	71	21.7	70	21.1	90	13	140		29.70	6	0.00	29.89	FM-12		
23	1954	7	FEW:02 10	10.00		71	21.7	70	21.1	69	20.6	94	3	160		29.70			29.88	FM-15	0.00	29.88

24	1114	7	FEW:02 15 BKN:07 22	10.00		77	25.0	72	22.2	69	20.6	77	5	210		29.71				FM-16		29.89				
24	1154	7	BKN:07 24	10.00		80	26.7	72	22.2	68	20.0	67	6	200		29.71			29.89	FM-15	0.00	29.89				
24	1216	7	BKN:07 31 BKN:07 100	10.00		81	27.2	72	22.2	68	20.0	65	5	230		29.70				FM-16		29.88				
24	1254	7	FEW:02 25 BKN:07 32 BKN:07 100	10.00		83	28.3	74	23.3	69	20.6	63	7	VRB		29.68	8	+0.04	29.87	FM-15	0.00	29.86				
24	1300	4	26	9.94		83	28.3	74	23.3	69	20.6	63	7			29.68	8	+0.04	29.87	FM-12						
24	1354	7	BKN:07 43 BKN:07 110	10.00		84	28.9	74	23.3	69	20.6	61	5	VRB		29.68			29.86	FM-15	0.00	29.86				
24	1454	7	SCT:04 36 SCT:04 180	10.00		86	30.0	74	23.3	69	20.6	57	8	250		29.66			29.84	FM-15	0.00	29.84				
24	1552	6	SCT:04 50 SCT:04 70 BKN:07 95	10.00					VCTS:7	82	27.8	73	22.8	68	20.0	62	6	180		29.65			FM-16		29.83	
24	1554	7	SCT:04 50 SCT:04 70 BKN:07 95	10.00					VCTS:7	83	28.3	73	22.8	68	20.0	61	6	190		29.65	8	+0.03	29.84	FM-15	0.00	29.83
24	1613	7	SCT:04 38 BKN:07 65	10.00					TS:7 TS TS	83	28.3	73	22.8	68	20.0	61	9	280		29.66			FM-16		29.84	
24	1625	7	FEW:02 23 BKN:07 30 BKN:07 65	4.00					RA:02 BR:1 RA RA	75	23.9	72	22.2	71	21.7	88	13	290		29.66			FM-16	T	29.84	
24	1627	7	FEW:02 23 BKN:07 30 BKN:07 65	2.50V					TS:7 RA:02 BR:1 RA TS RA	75	23.9	72	22.2	71	21.7	88	14	300		29.66			FM-16	0.02	29.84	
24	1631	7	FEW:02 23 BKN:07 30 BKN:07 65	2.50V					TS:7 +RA:02 RA TS TS RA	75	23.9	72	22.2	70	21.1	84	14	310		29.66			FM-16	0.03	29.84	
24	1645	7	FEW:02 28 BKN:07 95 OVC:08 120	8.00					-RA:02 RA RA	74	23.3	71	21.7	69	20.6	85	7	040		29.66			FM-16	0.09	29.84	
24	1654	7	FEW:02 31 SCT:04 95 BKN:07 120	10.00					-RA:02 RA RA	76	24.4	71	21.7	69	20.6	79	0	000		29.66			29.85	FM-15	0.09	29.84
24	1754	7	FEW:02 35 BKN:07 110 BKN:07 200	10.00						76	24.4	73	22.8	72	22.2	88	0	000		29.67			29.85	FM-15	0.00	29.85
24	1854	7	SCT:04 35 BKN:07 120 BKN:07 200	10.00						75	23.9	72	22.2	70	21.1	84	6	360		29.68	3	-0.03	29.87	FM-15	0.00	29.86
24	1900	4	41	9.94						75	23.9	72	22.2	70	21.1	84	6	360		29.68	3	-0.03	29.87	FM-12		
24	1954	7	FEW:02 40 SCT:04 120 BKN:07 200	10.00						73	22.8	70	21.1	68	20.0	84	0	000		29.67			29.86	FM-15	0.00	29.85
24	2054	7	SCT:04 120	10.00						71	21.7	69	20.6	68	20.0	90	3	190		29.68			29.87	FM-15	0.00	29.86
24	2154	7	SCT:04 90	10.00						70	21.1	67	19.4	66	18.9	87	5	210		29.70	3	-0.01	29.88	FM-15	0.00	29.88
24	2254	7	SCT:04 95	10.00						70	21.1	68	20.0	67	19.4	90	3	210		29.70			29.89	FM-15	0.00	29.88
24	2354	7	BKN:07 120	10.00						72	22.2	69	20.6	68	20.0	87	0	000		29.69			29.88	FM-15	0.00	29.87
25	0054	7	BKN:07 150	10.00						72	22.2	69	20.6	68	20.0	87	0	000		29.68	8	+0.02	29.86	FM-15	0.00	29.86
25	0100	4		9.94						72	22.2	69	20.6	68	20.0	87	0	000		29.68	8	+0.02	29.86	FM-12		
25	0154	7	FEW:02 150	10.00						71	21.7	69	20.6	68	20.0	90	0	000		29.66			29.85	FM-15	0.00	29.84
25	0254	7	SCT:04 100	10.00						70	21.1	69	20.6	68	20.0	93	5	330		29.66			29.85	FM-15	0.00	29.84
25	0354	7	FEW:02 140	10.00						68	20.0	67	19.4	66	18.9	93	3	160		29.66	5	+0.01	29.85	FM-15	0.00	29.84
25	0454	7	SCT:04 150	10.00						68	20.0	66	18.9	65	18.3	90	0	000		29.69			29.88	FM-15	0.00	29.87
25	0554	7	FEW:02 150	10.00						70	21.1	68	20.0	67	19.4	90	0	000		29.70			29.89	FM-15	0.00	29.88
25	0654	7	FEW:02 70 FEW:02 95 SCT:04 150	10.00						76	24.4	71	21.7	69	20.6	79	5	310		29.71	1	-0.04	29.90	FM-15	0.00	29.89

25	0700	4	74	9.94		76	24.4	71	21.7	69	20.6	79	5	310		29.71	1	-0.04	29.90	FM-12		
25	0754	7	FEW:02 95 SCT:04 150	10.00		81	27.2	72	22.2	68	20.0	65	3	VRB		29.71			29.90	FM-15	0.00	29.89
25	0854	7	FEW:02 95 SCT:04 150	10.00		81	27.2	72	22.2	68	20.0	65	3	010		29.70			29.89	FM-15	0.00	29.88
25	0954	7	FEW:02 55 FEW:02 95	10.00		84	28.9	71	21.7	64	17.8	51	0	000		29.70	8	+0.01	29.88	FM-15	0.00	29.88
25	1054	7	SCT:04 43 BKN:07 55	10.00		85	29.4	71	21.7	64	17.8	50	0	000		29.69			29.88	FM-15	0.00	29.87
25	1154	7	BKN:07 45 BKN:07 60	10.00		87	30.6	73	22.8	66	18.9	50	6	250		29.69			29.88	FM-15	0.00	29.87
25	1254	7	FEW:02 15 BKN:07 49	10.00		88	31.1	74	23.3	68	20.0	52	10	190		29.67	8	+0.03	29.85	FM-15	0.00	29.85
25	1300	4	15	9.94		88	31.1	74	23.3	68	20.0	52	10	190		29.67	8	+0.03	29.85	FM-12		
25	1321	7	SCT:04 45 BKN:07 55	1.75	+RA:02 RA RA	78	25.6	73	22.8	70	21.1	76	20	310	28	29.69				FM-16	T	29.87
25	1323	7	SCT:04 43 BKN:07 55	1.75	TS:7 +RA:02 RA TS TS RA	77	25.0	72	22.2	70	21.1	79	23	310	28	29.69				FM-16	T	29.87
25	1333	7	BKN:07 24 BKN:07 45 OVC:08 55	1.75	+RA:02 RA RA	73	22.8	70	21.1	68	20.0	84	6	VRB		29.69				FM-16	0.19	29.87
25	1342	7	SCT:04 26 BKN:07 49 OVC:08 60	5.00	-RA:02 BR:1 RA RA	74	23.3	69	20.6	66	18.9	76	5	050		29.68				FM-16	0.68	29.86
25	1354	7	SCT:04 24 BKN:07 60 BKN:07 110	10.00		75	23.9	71	21.7	69	20.6	82	6	050		29.68			29.86	FM-15	0.70	29.86
25	1454	7	FEW:02 55 SCT:04 100 SCT:04 300	10.00		83	28.3	75	23.9	72	22.2	70	10	120		29.66			29.85	FM-15	0.00	29.84
25	1554	7	FEW:02 55 SCT:04 100 SCT:04 300	10.00		85	29.4	74	23.3	69	20.6	59	7	190		29.64	8	+0.03	29.83	FM-15	0.00	29.82
25	1654	7	FEW:02 55 FEW:02 95 BKN:07 300	10.00		85	29.4	75	23.9	70	21.1	61	8	140		29.62			29.81	FM-15	0.00	29.80
25	1754	7	FEW:02 55 BKN:07 300	10.00		83	28.3	74	23.3	70	21.1	65	11	150		29.62			29.80	FM-15	0.00	29.80
25	1854	7	FEW:02 90 BKN:07 300	10.00		80	26.7	74	23.3	71	21.7	74	7	130		29.62	6	+0.02	29.80	FM-15	0.00	29.80
25	1900	4		9.94		80	26.7	74	23.3	71	21.7	74	7	130		29.62	6	+0.02	29.80	FM-12		
25	1954	7	FEW:02 90 SCT:04 250	10.00		79	26.1	74	23.3	72	22.2	79	8	150		29.62			29.80	FM-15	0.00	29.80
25	2054	7	FEW:02 90 SCT:04 250	10.00		77	25.0	73	22.8	71	21.7	82	8	150		29.64			29.83	FM-15	0.00	29.82
25	2154	7	FEW:02 250	10.00		75	23.9	72	22.2	71	21.7	88	6	170		29.64	0	-0.02	29.82	FM-15	0.00	29.82
25	2254	7	CLR:00	10.00		75	23.9	72	22.2	71	21.7	88	6	170		29.63			29.81	FM-15	0.00	29.81
25	2354	7	FEW:02 250	10.00		74	23.3	72	22.2	71	21.7	91	5	160		29.60			29.79	FM-15	0.00	29.78
26	0054	7	BKN:07 250	10.00		74	23.3	72	22.2	71	21.7	91	6	170		29.58	8	+0.05	29.77	FM-15	0.00	29.76
26	0100	4		9.94		74	23.3	72	22.2	71	21.7	91	6	170		29.58	8	+0.05	29.77	FM-12		
26	0154	7	BKN:07 250	10.00		74	23.3	71	21.7	70	21.1	88	6	180		29.58			29.77	FM-15	0.00	29.76
26	0254	7	BKN:07 250	10.00		73	22.8	70	21.1	69	20.6	87	7	200		29.57			29.76	FM-15	0.00	29.75
26	0354	7	SCT:04 250	10.00		73	22.8	70	21.1	68	20.0	84	5	170		29.57	8	+0.01	29.75	FM-15	0.00	29.75
26	0454	7	BKN:07 250	10.00		73	22.8	70	21.1	68	20.0	84	8	190		29.58			29.76	FM-15	0.00	29.76
26	0554	7	BKN:07 250	9.00		73	22.8	70	21.1	68	20.0	84	8	190		29.58			29.77	FM-15	0.00	29.76
26	0654	7	FEW:02 110 BKN:07 250	10.00		75	23.9	71	21.7	69	20.6	82	9	190		29.59	3	-0.02	29.78	FM-15	0.00	29.77
26	0700	4		9.94		75	23.9	71	21.7	69	20.6	82	9	190		29.59	3	-0.02	29.78	FM-12		
26	0754	7	SCT:04 110	10.00		77	25.0	72	22.2	69	20.6	77	11	200		29.59			29.78	FM-15	0.00	29.77

29	0754	7	CLR:00	3.00		HZ:7 FU HZ	74	23.3	66	18.9	61	16.1	64	7	020		29.91			30.09	FM-15	0.00	30.09
29	0854	7	CLR:00	3.00		HZ:7 FU HZ	77	25.0	67	19.4	61	16.1	58	6	360		29.91			30.10	FM-15	0.00	30.09
29	0954	7	CLR:00	4.00		HZ:7 FU HZ	79	26.1	67	19.4	60	15.6	52	6	360		29.89	0	-0.01	30.08	FM-15	0.00	30.07
29	1054	7	CLR:00	4.00		HZ:7 FU HZ	81	27.2	68	20.0	61	16.1	51	0	000		29.89			30.08	FM-15	0.00	30.07
29	1154	7	FEW:02 30	4.00		HZ:7 FU HZ	83	28.3	68	20.0	60	15.6	46	3	VRB		29.88			30.07	FM-15	0.00	30.06
29	1254	6	FEW:02 49 SCT:04 55	4.00		HZ:7 HZ	85	29.4	70	21.1	61	16.1	45	8	040		29.88	8	+0.01	30.07	FM-15	0.00	30.06
29	1354	7	FEW:02 50	4.00		HZ:7 FU HZ	84	28.9	68	20.0	59	15.0	43	0	000		29.87			30.06	FM-15	0.00	30.05
29	1454	7	SCT:04 55	4.00		HZ:7 FU HZ	84	28.9	69	20.6	61	16.1	46	5	060		29.85			30.04	FM-15	0.00	30.03
29	1554	7	SCT:04 55	4.00		HZ:7 FU HZ	85	29.4	69	20.6	60	15.6	43	3	VRB		29.84	8	+0.04	30.03	FM-15	0.00	30.02
29	1654	7	SCT:04 50	4.00		HZ:7 FU HZ	82	27.8	69	20.6	61	16.1	49	7	090		29.83			30.02	FM-15	0.00	30.01
29	1754	7	FEW:02 45	4.00		HZ:7 FU HZ	82	27.8	69	20.6	62	16.7	51	3	120		29.85			30.04	FM-15	0.00	30.03
29	1854	7	BKN:07 60	4.00		HZ:7 FU HZ	79	26.1	69	20.6	63	17.2	58	5	100		29.87	3	-0.03	30.06	FM-15	0.00	30.05
29	1954	7	SCT:04 55	5.00		HZ:7 FU HZ	76	24.4	68	20.0	63	17.2	64	3	120		29.86			30.05	FM-15	0.00	30.04
29	2054	7	BKN:07 50	5.00		HZ:7 FU HZ	75	23.9	68	20.0	64	17.8	69	0	000		29.87			30.06	FM-15	0.00	30.05
29	2154	7	FEW:02 45	4.00		HZ:7 FU HZ	70	21.1	66	18.9	64	17.8	82	6	120		29.86	6	0.00	30.05	FM-15	0.00	30.04
29	2254	7	FEW:02 45	4.00		HZ:7 FU HZ	70	21.1	67	19.4	65	18.3	84	7	140		29.86			30.05	FM-15	0.00	30.04
29	2354	7	FEW:02 45	4.00		HZ:7 FU HZ	70	21.1	67	19.4	65	18.3	84	5	160		29.87			30.06	FM-15	0.00	30.05
30	0054	7	FEW:02 50	4.00		HZ:7 FU HZ	68	20.0	66	18.9	64	17.8	87	3	120		29.87	3	-0.01	30.06	FM-15	0.00	30.05
30	0100	4	57	3.73		HZ	68	20.0	66	18.9	64	17.8	87	3	120		29.87	3	-0.01	30.06	FM-12		
30	0154	7	CLR:00	4.00		HZ:7 FU HZ	68	20.0	66	18.9	64	17.8	87	5	130		29.86			30.05	FM-15	0.00	30.04
30	0254	7	CLR:00	4.00		HZ:7 FU HZ	67	19.4	65	18.3	63	17.2	87	7	130		29.83			30.02	FM-15	0.00	30.01
30	0354	7	CLR:00	5.00		HZ:7 FU HZ	67	19.4	65	18.3	63	17.2	87	5	120		29.83	5	+0.04	30.02	FM-15	0.00	30.01
30	0454	7	SCT:04 300	3.00		HZ:7 FU HZ	67	19.4	64	17.8	62	16.7	84	0	000		29.86			30.05	FM-15	0.00	30.04
30	0554	7	FEW:02 70 BKN:07 300	3.00		HZ:7 FU HZ	68	20.0	66	18.9	64	17.8	87	3	130		29.87			30.06	FM-15	0.00	30.05
30	0654	7	SCT:04 55 BKN:07 75	3.00		HZ:7 FU HZ	71	21.7	68	20.0	66	18.9	84	3	170		29.89	1	-0.05	30.07	FM-15	0.00	30.07
30	0700	4	57	2.98		HZ	71	21.7	68	20.0	66	18.9	84	3	170		29.89	1	-0.05	30.07	FM-12		
30	0754	7	SCT:04 60 BKN:07 75	4.00		HZ:7 FU HZ	74	23.3	69	20.6	66	18.9	76	6	180		29.89			30.08	FM-15	0.00	30.07
30	0854	7	SCT:04 80	6.00		HZ:7 FU HZ	79	26.1	72	22.2	68	20.0	69	8	200		29.89			30.08	FM-15	0.00	30.07
30	0954	7	FEW:02 55 SCT:04 80	8.00			82	27.8	73	22.8	68	20.0	63	9	200		29.87	8	+0.01	30.06	FM-15	0.00	30.05
30	1054	7	SCT:04 29 SCT:04 55 SCT:04 120	7.00			84	28.9	74	23.3	70	21.1	63	9	200		29.87			30.06	FM-15	0.00	30.05
30	1154	7	SCT:04 34 BKN:07 44	6.00		HZ:7 FU HZ	86	30.0	74	23.3	68	20.0	55	8	240		29.85			30.04	FM-15	0.00	30.03
30	1254	7	FEW:02 39 SCT:04 50	6.00		HZ:7 FU HZ	87	30.6	74	23.3	68	20.0	53	8	180		29.82	8	+0.05	30.01	FM-15	0.00	30.00
30	1300	4	41	5.59		HZ	87	30.6	74	23.3	68	20.0	53	8	180		29.82	8	+0.05	30.01	FM-12		
30	1354	7	FEW:02 39 SCT:04 50	5.00		HZ:7 FU HZ	88	31.1	74	23.3	67	19.4	50	11	190		29.82			30.01	FM-15	0.00	30.00
30	1454	7	FEW:02 39 BKN:07 50	5.00		HZ:7 FU HZ	87	30.6	74	23.3	68	20.0	53	8	220		29.81			30.00	FM-15	0.00	29.99
30	1554	7	SCT:04 38 BKN:07 130	6.00		HZ:7 FU HZ	85	29.4	75	23.9	70	21.1	61	14	140		29.80	8	+0.02	29.98	FM-15	0.00	29.98
30	1654	7	SCT:04 39 BKN:07 110 BKN:07 150	6.00		HZ:7 FU HZ	82	27.8	73	22.8	68	20.0	63	17	140		29.79			29.98	FM-15	0.00	29.97
30	1754	7	FEW:02 35 SCT:04 80 OVC:08 150	5.00		HZ:7 FU HZ	78	25.6	73	22.8	70	21.1	76	11	070		29.83			30.01	FM-15	0.00	30.01
30	1854	7	FEW:02 40 BKN:07 160	6.00		HZ:7 FU HZ	75	23.9	71	21.7	69	20.6	82	9	090		29.84	3	-0.04	30.02	FM-15	0.00	30.02
30	1900	4	41	5.59		HZ	75	23.9	71	21.7	69	20.6	82	9	090		29.84	3	-0.04	30.02	FM-12		

30	1954	7	FEW:02 40 SCT:04 95 BKN:07 110	7.00		76	24.4	71	21.7	68	20.0	77	7	110		29.84			30.03	FM-15	0.00	30.02
30	2054	7	BKN:07 95 OVC:08 110	7.00		75	23.9	69	20.6	65	18.3	71	6	120		29.86			30.05	FM-15	0.00	30.04
30	2154	7	FEW:02 95 SCT:04 130	6.00	HZ:7 FU HZ	73	22.8	67	19.4	64	17.8	74	5	120		29.85	0	-0.01	30.03	FM-15	0.00	30.03
30	2254	7	FEW:02 120	6.00	HZ:7 FU HZ	72	22.2	67	19.4	64	17.8	76	3	130		29.85			30.04	FM-15	0.00	30.03
30	2354	7	FEW:02 120	6.00	HZ:7 FU HZ	72	22.2	68	20.0	65	18.3	79	6	160		29.85			30.03	FM-15	0.00	30.03

Local Climatological Data Hourly Precipitation June 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/25/2023

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01									T	T							T								01
02																									02
03																			T						03
04																									04
05																									05
06																									06
07					T	T												T	T	M	M	M	M	M	07
08	M	M	M	M			M					0.01	0.01											0.01	08
09	T	T	T	0.03																					09
10																									10
11																									11
12	T	T	T									T	0.02	T											12
13																									13
14																									14
15		T																							15
16														T	0.03	0.02	0.03								16
17																									17
18																									18
19																									19
20											T	T	T	0.01	T		0.01	0.01					T	T	20
21	T	0.01	0.05	0.01	0.07	0.12	0.02	0.16	0.16	0.03	T	T	0.06	0.02	0.02	0.01	T	0.04	0.02	0.03	T	T	T	T	21
22									T				T		T	0.15	T	0.06	0.01	T	T	T	T	0.02	22
23	T	0.01	T	T	0.14		T	0.23	T	T	T	0.01	0.29	0.23	T		T		T						23
24																	0.09								24
25														0.70											25
26																				0.02	0.23	T	0.37	0.03	26
27	0.03															T	T								27
28																									28
29																									29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.35	0.51	0.60	0.69	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70
Ending Date Time (yyyy-mm-dd hh:mi)	2023-06-25 13:38	2023-06-25 13:42	2023-06-25 13:42	2023-06-25 13:43	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44	2023-06-25 13:44

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing