

SEASONAL PRECIPITATION TOTALS AND AVERAGES FROM 1887

SPRING SEASON						SUMMER SEASON						FALL SEASON						WINTER SEASON						
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1887	2.38	2.63	3.56	8.57	2.86	1887	4.45	6.58	8.27	19.30	6.43	1887	1.19	4.94	2.49	8.62	2.87	1887	-88.	4.04	2.79	2.39	9.22	3.07
1888	5.25	2.55	5.70	13.50	4.50	1888	4.89	1.40	4.19	10.48	3.49	1888	10.41	3.24	3.15	16.80	5.60	1888	-89.	3.52	4.77	3.71	12.00	4.00
1889	3.68	8.89	9.13	21.70	7.23	1889	7.93	14.01	3.99	25.93	8.64	1889	5.60	5.15	4.59	15.34	5.11	1889	-90.	0.57	1.53	3.35	5.45	1.82
1890	3.34	2.79	4.69	10.82	3.61	1890	2.21	4.58	5.51	12.30	4.10	1890	5.50	8.51	0.11	14.12	4.71	1890	-91.	4.48	4.79	5.68	14.95	4.98
1891	8.78	1.96	5.18	15.92	5.31	1891	4.12	4.69	4.80	13.61	4.54	1891	1.24	2.12	1.88	5.24	1.75	1891	-92.	2.13	3.96	3.36	9.45	3.15
1892	3.19	6.77	2.32	12.28	4.09	1892	3.47	5.11	3.32	11.90	3.97	1892	3.15	0.83	4.58	8.56	2.85	1892	-93.	1.64	3.37	4.98	9.99	3.33
1893	2.44	3.82	5.15	11.41	3.80	1893	2.62	3.24	3.43	9.29	3.10	1893	6.86	5.72	3.22	15.80	5.27	1893	-94.	2.39	3.35	4.51	10.25	3.42
1894	1.21	3.29	6.74	11.24	3.75	1894	2.77	4.59	5.12	12.48	4.16	1894	6.48	4.06	1.68	12.22	4.07	1894	-95.	2.66	5.25	1.47	9.38	3.13
1895	4.23	8.31	4.24	16.78	5.59	1895	2.39	5.01	2.68	10.08	3.36	1895	0.42	1.69	3.05	5.16	1.72	1895	-96.	2.40	2.40	4.35	9.15	3.05
1896	3.70	1.69	3.03	8.42	2.81	1896	5.58	8.02	0.45	14.05	4.68	1896	6.20	0.62	3.16	9.98	3.33	1896	-97.	0.89	1.86	6.40	9.15	3.05
1897	5.11	2.76	2.48	10.35	3.45	1897	2.31	4.18	1.83	8.32	2.77	1897	1.03	6.54	3.07	10.64	3.55	1897	-98.	2.63	1.05	1.05	4.73	1.58
1898	3.78	4.83	5.28	13.89	4.63	1898	2.98	4.15	6.31	13.44	4.48	1898	2.33	4.59	2.22	9.14	3.05	1898	-99.	3.08	2.94	4.72	10.74	3.58
1899	5.56	2.04	2.14	9.74	3.25	1899	2.51	4.12	5.61	12.24	4.08	1899	6.21	4.03	1.19	11.43	3.81	1899	-00.	2.33	2.71	4.42	9.46	3.15
1900	2.89	3.62	2.20	8.71	2.90	1900	3.08	3.13	3.66	9.87	3.29	1900	4.03	2.55	2.87	9.45	3.15	1900	-01.	2.60	2.80	0.55	5.95	1.98
1901	3.79	5.29	3.80	12.88	4.29	1901	2.32	5.06	6.99	14.37	4.79	1901	3.21	0.79	1.37	5.37	1.79	1901	-02.	6.08	3.26	4.84	14.18	4.73
1902	1.89	3.12	3.42	8.43	2.81	1902	4.81	6.21	3.10	14.12	4.71	1902	4.91	4.81	4.83	14.55	4.85	1902	-03.	4.12	3.61	5.02	12.75	4.25
1903	8.14	4.46	3.36	15.96	5.32	1903	5.73	5.17	3.21	14.11	4.70	1903	1.60	3.44	1.40	6.44	2.15	1903	-04.	2.28	2.34	2.71	7.33	2.44
1904	3.52	1.57	1.45	6.54	2.18	1904	4.11	6.25	3.83	14.19	4.73	1904	3.00	2.80	2.55	8.35	2.78	1904	-05.	3.71	2.47	4.14	10.32	3.44
1905	2.18	3.06	4.09	9.33	3.11	1905	3.72	3.25	4.01	10.98	3.66	1905	2.61	1.24	0.51	4.36	1.45	1905	-06.	7.10	2.54	2.57	12.21	4.07
1906	4.78	2.16	3.37	10.31	3.44	1906	5.14	6.75	8.68	20.57	6.86	1906	0.35	7.47	0.87	8.69	2.90	1906	-07.	2.12	1.22	2.30	5.64	1.88
1907	2.91	4.87	5.78	13.56	4.52	1907	6.21	2.99	5.31	14.51	4.84	1907	6.51	2.30	4.64	13.45	4.48	1907	-08.	3.44	4.39	3.92	11.75	3.92
1908	2.96	2.73	6.71	12.40	4.13	1908	5.72	4.37	10.40	20.49	6.83	1908	2.74	2.87	1.25	6.86	2.29	1908	-09.	4.72	3.00	2.94	10.66	3.55
1909	4.13	3.21	3.41	10.75	3.58	1909	4.59	1.25	4.01	9.85	3.28	1909	2.89	0.77	0.62	4.28	1.43	1909	-10.	3.39	3.38	2.38	9.15	3.05
1910	1.42	8.74	2.67	12.83	4.28	1910	5.67	6.40	2.90	14.97	4.99	1910	1.07	5.03	0.98	7.08	2.36	1910	-11.	2.52	3.65	2.20	8.37	2.79
1911	2.15	4.00	0.60	6.75	2.25	1911	2.83	0.57	7.26	10.66	3.55	1911	1.85	3.61	4.33	9.79	3.26	1911	-12.	3.95	2.34	3.76	10.05	3.35
1912	8.18	2.17	4.59	14.94	4.98	1912	2.50	1.25	1.49	5.24	1.75	1912	4.20	0.58	1.73	6.51	2.17	1912	-13.	2.84	2.53	1.51	6.88	2.29
1913	3.53	2.54	4.80	10.87	3.62	1913	3.78	3.65	4.59	12.02	4.01	1913	3.20	3.95	1.49	8.64	2.88	1913	-14.	2.17	3.65	3.27	9.09	3.03
1914	3.66	1.28	2.50	7.44	2.48	1914	2.76	3.00	2.42	8.18	2.73	1914	1.47	1.67	2.20	5.34	1.78	1914	-15.	4.95	5.41	3.92	14.28	4.76
1915	1.10	1.68	3.00	5.78	1.93	1915	3.77	2.42	7.34	13.53	4.51	1915	1.99	3.27	0.63	5.89	1.96	1915	-16.	1.93	1.51	3.68	7.12	2.37
1916	1.57	1.94	4.74	8.25	2.75	1916	8.72	5.39	1.55	15.66	5.22	1916	2.01	1.44	1.31	4.76	1.59	1916	-17.	3.40	2.98	2.28	8.66	2.89
1917	5.97	2.56	4.59	13.12	4.37	1917	5.31	6.28	2.74	14.33	4.78	1917	4.62	3.78	0.44	8.84	2.95	1917	-18.	1.72	5.81	0.91	8.44	2.81
1918	3.98	8.02	3.30	15.30	5.10	1918	5.36	1.05	2.76	9.17	3.06	1918	3.55	0.59	1.26	5.40	1.80	1918	-19.	4.79	3.64	2.22	10.65	3.55
1919	3.54	3.25	5.19	11.98	3.99	1919	3.90	9.92	2.62	16.44	5.48	1919	0.54	1.71	1.31	3.56	1.19	1919	-20.	2.30	2.02	6.67	10.99	3.66
1920	3.11	2.96	3.06	9.13	3.04	1920	6.34	6.05	8.69	21.08	7.03	1920	2.71	0.66	6.69	10.06	3.35	1920	-21.	1.87	3.79	3.52	9.18	3.06
1921	2.13	4.65	3.89	10.67	3.56	1921	1.49	2.36	0.61	4.46	1.49	1921	0.95	1.20	2.97	5.12	1.71	1921	-22.	3.02	4.58	3.91	11.51	3.84
1922	7.01	2.01	3.27	12.29	4.10	1922	6.42	8.48	4.78	19.68	6.56	1922	0.66	3.68	0.86	5.20	1.73	1922	-23.	3.14	4.61	3.09	10.84	3.61
1923	5.88	3.96	1.16	11.00	3.67	1923	2.09	10.87	6.41	19.37	6.46	1923	4.25	2.16	2.20	8.61	2.87	1923	-24.	2.20	2.98	2.34	7.52	2.51
1924	4.00	5.11	7.36	16.47	5.49	1924	4.85	2.33	3.05	10.23	3.41	1924	9.58	0.78	1.61	11.97	3.99	1924	-25.	3.40	5.42	0.90	9.72	3.24
1925	2.47	2.33	2.15	6.95	2.32	1925	2.24	2.32	2.55	7.11	2.37	1925	0.93	4.67	1.55	7.15	2.38	1925	-26.	3.89	3.30	3.60	10.79	3.60

SEASONAL PRECIPITATION TOTALS AND AVERAGES FROM 1887

SPRING SEASON						SUMMER SEASON						FALL SEASON						WINTER SEASON						
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1926	1.96	2.01	1.59	5.56	1.85	1926	2.19	7.17	5.24	14.60	4.87	1926	1.46	0.81	3.63	5.90	1.97	1926	-27.	4.56	0.70	2.84	8.10	2.70
1927	1.95	3.47	3.30	8.72	2.91	1927	3.12	9.10	7.19	19.41	6.47	1927	4.01	2.02	1.61	7.64	2.55	1927	-28.	5.02	2.23	1.84	9.09	3.03
1928	2.71	6.86	1.99	11.56	3.85	1928	7.19	1.95	8.05	17.19	5.73	1928	7.01	0.40	1.20	8.61	2.87	1928	-29.	1.46	1.53	5.19	8.18	2.73
1929	3.96	3.50	4.00	11.46	3.82	1929	3.02	2.16	2.41	7.59	2.53	1929	2.41	6.99	3.34	12.74	4.25	1929	-30.	2.70	4.25	1.21	8.16	2.72
1930	1.07	3.19	2.46	6.72	2.24	1930	5.18	4.51	2.35	12.04	4.01	1930	1.37	1.31	1.63	4.31	1.44	1930	-31.	2.48	1.88	2.60	6.96	2.32
1931	2.94	3.97	5.64	12.55	4.18	1931	2.98	4.47	11.42	18.87	6.29	1931	1.92	1.15	0.24	3.31	1.10	1931	-32.	2.52	5.64	1.66	9.82	3.27
1932	6.21	1.69	4.17	12.07	4.02	1932	3.17	1.66	1.36	6.19	2.06	1932	0.75	6.58	3.50	10.83	3.61	1932	-33.	4.84	3.85	2.73	11.42	3.81
1933	2.15	4.02	4.84	11.01	3.67	1933	1.63	4.59	8.84	15.06	5.02	1933	1.05	0.72	1.17	2.94	0.98	1933	-34.	3.14	1.63	5.34	10.11	3.37
1934	4.36	2.10	4.83	11.29	3.76	1934	3.65	3.22	3.22	10.09	3.36	1934	5.92	0.82	3.34	10.08	3.36	1934	-35.	2.32	4.41	2.13	8.86	2.95
1935	4.00	4.40	3.81	12.21	4.07	1935	6.22	5.64	3.68	15.54	5.18	1935	9.23	1.73	3.19	14.15	4.72	1935	-36.	2.12	7.76	3.92	13.80	4.60
1936	3.83	2.68	0.45	6.96	2.32	1936	3.88	3.18	2.90	9.96	3.32	1936	1.43	1.68	0.92	4.03	1.34	1936	-37.	4.34	10.08	2.42	16.84	5.61
1937	1.66	6.02	1.64	9.32	3.11	1937	6.02	6.00	9.85	21.87	7.29	1937	2.61	6.34	2.44	11.39	3.80	1937	-38.	0.90	3.28	1.82	6.00	2.00
1938	3.72	3.24	4.92	11.88	3.96	1938	9.24	11.89	0.95	22.08	7.36	1938	4.41	1.57	2.74	8.72	2.91	1938	-39.	2.74	3.40	3.98	10.12	3.37
1939	5.33	3.04	1.39	9.76	3.25	1939	5.41	5.23	8.34	18.98	6.33	1939	1.70	4.84	2.18	8.72	2.91	1939	-40.	1.51	4.16	2.99	8.66	2.89
1940	2.31	4.22	4.26	10.79	3.60	1940	4.02	4.45	9.33	17.80	5.93	1940	1.77	2.27	4.59	8.63	2.88	1940	-41.	1.83	2.19	1.17	5.19	1.73
1941	1.97	3.44	1.31	6.72	2.24	1941	1.83	2.82	3.05	7.70	2.57	1941	1.23	0.35	0.66	2.24	0.75	1941	-42.	2.89	3.59	1.03	7.51	2.50
1942	5.31	0.78	1.11	7.20	2.40	1942	5.30	3.52	6.61	15.43	5.14	1942	3.71	6.74	1.31	11.76	3.92	1942	-43.	3.04	2.87	2.27	8.18	2.73
1943	3.01	2.11	4.04	9.16	3.05	1943	3.15	3.87	0.52	7.54	2.51	1943	5.13	2.90	1.44	9.47	3.16	1943	-44.	1.98	2.83	5.61	10.42	3.47
1944	5.85	3.59	1.41	10.85	3.62	1944	1.42	7.76	6.44	15.62	5.21	1944	5.50	1.79	3.94	11.23	3.74	1944	-45.	2.26	2.25	3.57	8.08	2.69
1945	1.33	3.50	5.09	9.92	3.31	1945	1.71	18.87	2.92	23.50	7.83	1945	8.49	0.91	3.09	12.49	4.16	1945	-46.	5.28	2.16	2.69	10.13	3.38
1946	2.23	2.59	7.73	12.55	4.18	1946	6.01	6.64	3.87	16.52	5.51	1946	4.39	2.36	1.90	8.65	2.88	1946	-47.	2.71	4.31	1.43	8.45	2.82
1947	2.22	2.53	4.69	9.44	3.15	1947	4.48	3.33	1.87	9.68	3.23	1947	6.38	2.37	7.03	15.78	5.26	1947	-48.	1.56	4.11	2.64	8.31	2.77
1948	5.52	4.59	6.32	16.43	5.48	1948	2.73	4.08	7.93	14.74	4.91	1948	3.07	3.21	5.74	12.02	4.01	1948	-49.	4.06	3.35	2.55	9.96	3.32
1949	2.12	2.22	5.11	9.45	3.15	1949	3.55	6.34	8.99	18.88	6.29	1949	2.64	3.87	1.88	8.39	2.80	1949	-50.	1.94	2.17	1.71	5.82	1.94
1950	3.20	0.74	4.27	8.21	2.74	1950	0.99	6.69	3.32	11.00	3.67	1950	4.04	1.77	1.74	7.55	2.52	1950	-51.	2.73	1.08	1.90	5.71	1.90
1951	2.85	2.26	2.51	7.62	2.54	1951	5.85	2.63	5.23	13.71	4.57	1951	0.98	2.71	4.52	8.21	2.74	1951	-52.	3.63	5.71	2.76	12.10	4.03
1952	5.05	5.32	3.72	14.09	4.70	1952	4.50	2.71	6.41	13.62	4.54	1952	2.35	2.04	6.42	10.81	3.60	1952	-53.	3.37	4.47	3.36	11.20	3.73
1953	3.95	3.16	2.35	9.46	3.15	1953	3.06	2.04	0.99	6.09	2.03	1953	6.84	2.16	1.85	10.85	3.62	1953	-54.	2.94	3.70	1.56	8.20	2.73
1954	2.44	3.08	4.36	9.88	3.29	1954	1.09	1.30	3.95	6.34	2.11	1954	0.69	4.99	1.86	7.54	2.51	1954	-55.	2.43	1.09	3.18	6.70	2.23
1955	2.66	3.14	1.79	7.59	2.53	1955	3.06	7.93	14.10	25.09	8.36	1955	5.79	2.57	1.76	10.12	3.37	1955	-56.	0.86	1.65	3.54	6.05	2.02
1956	3.06	2.75	4.35	10.16	3.39	1956	3.28	10.32	2.28	15.88	5.29	1956	2.96	4.92	6.11	13.99	4.66	1956	-57.	3.98	3.36	5.29	12.63	4.21
1957	2.82	2.25	2.75	7.82	2.61	1957	3.92	1.80	7.46	13.18	4.39	1957	3.43	5.35	5.30	14.08	4.69	1957	-58.	6.88	2.96	4.38	14.22	4.74
1958	3.81	4.35	5.79	13.95	4.65	1958	6.09	3.27	9.77	19.13	6.38	1958	1.90	5.35	1.43	8.68	2.89	1958	-59.	4.43	1.31	1.87	7.61	2.54
1959	2.92	4.32	2.44	9.68	3.23	1959	3.45	12.85	5.75	22.05	7.35	1959	3.30	3.25	7.64	14.19	4.73	1959	-60.	2.24	2.13	4.56	8.93	2.98
1960	3.29	3.57	3.59	10.45	3.48	1960	0.91	7.34	7.20	15.45	5.15	1960	6.21	3.31	0.85	10.37	3.46	1960	-61.	3.04	2.57	5.39	11.00	3.67

SEASONAL PRECIPITATION TOTALS AND AVERAGES FROM 1887

SPRING SEASON						SUMMER SEASON						FALL SEASON						WINTER SEASON						
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1961	4.02	1.73	4.83	10.58	3.53	1961	6.49	2.85	3.90	13.24	4.41	1961	1.64	8.78	1.81	12.23	4.08	1961	-62.	5.05	5.95	3.00	14.00	4.67
1962	4.87	3.80	4.08	12.75	4.25	1962	5.57	5.65	2.37	13.59	4.53	1962	3.46	0.50	6.73	10.69	3.56	1962	-63.	2.64	1.55	2.98	7.17	2.39
1963	5.62	0.64	2.39	8.65	2.88	1963	7.01	0.52	3.75	11.28	3.76	1963	3.20	0.30	6.70	10.20	3.40	1963	-64.	2.80	4.16	4.46	11.42	3.81
1964	2.61	2.71	1.14	6.46	2.15	1964	2.40	6.46	9.88	18.74	6.25	1964	2.56	3.62	1.98	8.16	2.72	1964	-65.	3.05	2.51	2.77	8.33	2.78
1965	3.68	2.13	0.87	6.68	2.23	1965	3.39	6.33	0.81	10.53	3.51	1965	4.81	1.38	0.36	6.55	2.18	1965	-66.	0.72	4.58	3.80	9.10	3.03
1966	0.94	2.18	2.58	5.70	1.90	1966	2.54	4.07	1.31	7.92	2.64	1966	5.06	4.81	1.31	11.18	3.73	1966	-67.	3.07	1.50	3.35	7.92	2.64
1967	2.34	1.32	3.71	7.37	2.46	1967	3.58	5.00	6.65	15.23	5.08	1967	0.95	1.00	1.76	3.71	1.24	1967	-68.	6.48	2.53	0.98	9.99	3.33
1968	4.00	2.93	3.13	10.06	3.35	1968	2.89	3.41	3.71	10.01	3.34	1968	1.78	1.59	3.87	7.24	2.41	1968	-69.	2.28	2.04	3.95	8.27	2.76
1969	3.95	2.60	3.32	9.87	3.29	1969	4.36	13.90	9.31	27.57	9.19	1969	3.89	1.88	1.87	7.64	2.55	1969	-70.	5.26	1.32	2.37	8.95	2.98
1970	3.70	2.84	1.84	8.38	2.79	1970	1.12	4.74	1.69	7.55	2.52	1970	1.02	1.55	3.10	5.67	1.89	1970	-71.	3.00	1.84	4.37	9.21	3.07
1971	2.68	1.76	6.82	11.26	3.75	1971	4.10	4.40	3.73	12.23	4.08	1971	2.35	9.39	2.76	14.50	4.83	1971	-72.	0.75	1.43	5.15	7.33	2.44
1972	2.11	3.35	8.87	14.33	4.78	1972	8.82	5.80	3.84	18.46	6.15	1972	3.35	7.89	5.82	17.06	5.69	1972	-73.	2.91	2.66	3.11	8.68	2.89
1973	3.44	4.58	3.56	11.58	3.86	1973	2.45	3.64	4.34	10.43	3.48	1973	1.82	2.56	1.27	5.65	1.88	1973	-74.	7.07	3.21	2.54	12.82	4.27
1974	3.79	1.58	3.02	8.39	2.80	1974	1.80	2.25	6.84	10.89	3.63	1974	4.83	0.39	1.23	6.45	2.15	1974	-75.	4.22	5.71	2.96	12.89	4.30
1975	8.04	2.78	2.59	13.41	4.47	1975	4.00	12.29	2.31	18.60	6.20	1975	10.98	3.10	2.04	16.12	5.37	1975	-76.	4.51	3.39	1.35	9.25	3.08
1976	2.14	1.08	3.76	6.98	2.33	1976	2.85	2.63	1.35	6.83	2.28	1976	4.78	6.99	1.88	13.65	4.55	1976	-77.	2.56	2.22	1.34	6.12	2.04
1977	2.67	2.33	3.99	8.99	3.00	1977	1.25	4.20	6.15	11.60	3.87	1977	2.16	7.88	4.32	14.36	4.79	1977	-78.	5.57	7.97	0.48	14.02	4.67
1978	5.67	4.31	3.92	13.90	4.63	1978	5.26	4.24	5.93	15.43	5.14	1978	0.26	1.21	4.57	6.04	2.01	1978	-79.	3.80	6.16	5.97	15.93	5.31
1979	2.59	3.97	3.80	10.36	3.45	1979	2.42	4.36	7.08	13.86	4.62	1979	9.76	3.87	5.50	19.13	6.38	1979	-80.	1.64	6.05	1.01	8.70	2.90
1980	5.49	4.28	4.68	14.45	4.82	1980	0.38	5.18	2.15	7.71	2.57	1980	2.37	6.96	2.18	11.51	3.84	1980	-81.	0.40	0.64	2.76	3.80	1.27
1981	1.52	2.96	6.62	11.10	3.70	1981	3.69	4.01	2.89	10.59	3.53	1981	2.70	2.36	0.68	5.74	1.91	1981	-82.	5.04	2.76	4.44	12.24	4.08
1982	3.74	2.97	3.48	10.19	3.40	1982	3.97	9.21	4.39	17.57	5.86	1982	2.55	2.90	2.70	8.15	2.72	1982	-83.	3.37	1.59	3.95	8.91	2.97
1983	6.04	5.21	2.50	13.75	4.58	1983	5.46	0.51	0.97	6.94	2.31	1983	3.05	4.02	5.63	12.70	4.23	1983	-84.	4.50	3.98	3.97	12.45	4.15
1984	8.65	5.92	4.52	19.09	6.36	1984	2.01	3.55	4.58	10.14	3.38	1984	1.86	2.14	3.34	7.34	2.45	1984	-85.	1.52	3.54	3.20	8.26	2.75
1985	1.80	0.65	2.36	4.81	1.60	1985	4.01	5.31	10.58	19.90	6.63	1985	4.97	5.09	6.99	17.05	5.68	1985	-86.	0.58	2.69	2.67	5.94	1.98
1986	1.16	1.16	3.15	5.47	1.82	1986	1.30	7.01	6.75	15.06	5.02	1986	0.63	2.43	2.46	5.52	1.84	1986	-87.	5.15	5.53	2.57	13.25	4.42
1987	1.65	7.31	2.94	11.90	3.97	1987	6.29	1.20	1.11	8.60	2.87	1987	4.43	1.25	3.13	8.81	2.94	1987	-88.	2.86	2.53	3.08	8.47	2.82
1988	1.98	2.55	4.81	9.34	3.11	1988	2.25	7.50	2.95	12.70	4.23	1988	1.74	2.74	4.34	8.82	2.94	1988	-89.	0.79	1.88	4.34	7.01	2.34
1989	5.00	4.27	5.02	14.29	4.76	1989	5.85	4.00	4.89	14.74	4.91	1989	5.33	3.54	3.00	11.87	3.96	1989	-90.	2.62	2.84	2.38	7.84	2.61
1990	2.54	2.81	6.85	12.20	4.07	1990	0.97	6.74	5.76	13.47	4.49	1990	1.92	3.90	1.70	7.52	2.51	1990	-91.	3.52	3.62	1.09	8.23	2.74
1991	5.87	0.87	0.91	7.65	2.55	1991	6.24	3.47	3.32	13.03	4.34	1991	2.69	2.50	0.67	5.86	1.95	1991	-92.	4.53	1.57	2.89	8.99	3.00
1992	5.87	2.21	4.95	13.03	4.34	1992	2.28	5.68	6.40	14.36	4.79	1992	2.35	1.94	2.62	6.91	2.30	1992	-93.	2.79	4.48	2.88	10.15	3.38
1993	7.24	3.23	4.66	15.13	5.04	1993	1.75	1.91	3.89	7.55	2.52	1993	2.97	2.23	3.24	8.44	2.81	1993	-94.	3.77	3.10	4.38	11.25	3.75
1994	7.92	2.70	2.49	13.11	4.37	1994	1.73	7.46	2.54	11.73	3.91	1994	3.99	2.56	3.99	10.54	3.51	1994	-95.	0.95	3.15	1.14	5.24	1.75
1995	3.00	1.98	4.33	9.31	3.10	1995	1.85	2.89	2.59	7.33	2.44	1995	3.82	5.11	2.87	11.80	3.93	1995	-96.	1.71	4.65	2.97	9.33	3.11

SEASONAL PRECIPITATION TOTALS AND AVERAGES FROM 1887

SPRING SEASON						SUMMER SEASON					FALL SEASON					WINTER SEASON								
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1996	2.71	2.88	3.18	8.77	2.92	1996	4.35	6.51	4.40	15.26	5.09	1996	6.87	7.18	3.52	17.57	5.86	1996	-97.	4.91	1.93	3.71	10.55	3.52
1997	2.96	3.94	1.36	8.26	2.75	1997	2.21	4.85	1.41	8.47	2.82	1997	0.82	3.25	5.33	9.40	3.13	1997	-98.	2.36	6.85	5.76	14.97	4.99
1998	6.72	4.32	3.72	14.76	4.92	1998	4.41	2.37	1.89	8.67	2.89	1998	3.94	0.47	1.30	5.71	1.90	1998	-99.	5.00	4.70	1.47	11.17	3.72
1999	4.04	2.60	2.75	9.39	3.13	1999	6.29	2.77	2.00	11.06	3.69	1999	16.60	2.25	1.01	19.86	6.62	1999	-00.	1.72	3.96	1.60	7.28	2.43
2000	3.67	4.78	3.03	11.48	3.83	2000	6.07	4.05	8.28	18.40	6.13	2000	3.60	0.01	1.72	5.33	1.78	2000	-01.	2.38	2.06	2.55	6.99	2.33
2001	3.77	2.14	2.03	7.94	2.65	2001	6.53	2.73	5.08	14.34	4.78	2001	2.14	0.65	0.17	2.96	0.99	2001	-02.	1.67	3.58	0.82	6.07	2.02
2002	4.48	2.33	3.49	10.30	3.43	2002	1.56	1.63	3.18	6.37	2.12	2002	2.88	6.09	4.28	13.25	4.42	2002	-03.	3.45	2.18	4.21	9.84	3.28
2003	5.92	4.38	8.59	18.89	6.30	2003	3.87	9.26	4.66	17.79	5.93	2003	10.12	2.43	3.39	15.94	5.31	2003	-04.	4.28	1.55	1.87	7.70	2.57
2004	2.22	3.42	3.06	8.70	2.90	2004	9.93	6.42	16.30	32.65	10.88	2004	6.14	1.95	3.27	11.36	3.79	2004	-05.	2.37	3.42	1.39	7.18	2.39
2005	3.99	2.05	4.22	10.26	3.42	2005	1.19	9.28	2.56	13.03	4.34	2005	0.08	3.74	3.81	7.63	2.54	2005	-06.	5.81	2.89	1.47	10.17	3.39
2006	0.20	2.18	3.24	5.62	1.87	2006	7.85	4.57	5.99	18.41	6.14	2006	9.52	6.12	6.67	22.31	7.44	2006	-07.	1.42	3.46	2.06	6.94	2.31
2007	2.66	3.62	3.69	9.97	3.32	2007	5.22	1.69	6.81	13.72	4.57	2007	1.11	3.54	0.80	5.45	1.82	2007	-08.	3.24	0.96	3.41	7.61	2.54
2008	3.50	8.32	5.10	16.92	5.64	2008	3.64	4.05	5.73	13.42	4.47	2008	5.94	1.32	3.51	10.77	3.59	2008	-09.	4.07	1.49	0.74	6.30	2.10
2009	4.26	2.56	3.71	10.53	3.51	2009	4.32	3.39	4.04	11.75	3.92	2009	2.46	3.59	9.60	15.65	5.22	2009	-10.	8.16	3.60	2.82	14.58	4.86
2010	6.17	1.59	2.62	10.38	3.46	2010	0.82	1.19	3.92	5.93	1.98	2010	6.49	2.14	1.27	9.90	3.30	2010	-11.	3.26	2.48	2.09	7.83	2.61
2011	4.28					2011						2011						2011	-12.					
2012						2012						2012						2012	-13.					
2013						2013						2013						2013	-14.					
Ave.	3.71	3.30	3.75	10.75	3.58	Ave.	3.92	4.96	4.77	13.64	4.55	Ave.	3.65	3.12	2.80	9.57	3.19	Ave.		3.15	3.25	3.01	9.41	3.14
Max.	8.78	8.89	9.13	21.70	7.23	Max.	9.93	18.87	16.30	32.65	10.88	Max.	16.60	9.39	9.60	22.31	7.44	Max.		8.16	10.08	6.67	16.84	5.61
Min.	0.20	0.64	0.45	4.81	1.60	Min.	0.38	0.51	0.45	4.46	1.49	Min.	0.08	0.01	0.11	2.24	0.75	Min.		0.40	0.64	0.48	3.80	1.27
SPRING SEASON						SUMMER SEASON					FALL SEASON					WINTER SEASON								
YR	MAR.	APR.	MAY	SUM	AVE	YR	JUNE	JULY	AUG.	SUM	AVE	YR	SEPT.	OCT.	NOV.	SUM	AVE	YR	YR	DEC.	JAN.	FEB	SUM	AVE