

SEASONAL DAYS WITH MEASURABLE PRECIPITATION FROM 1887

SPRING SEASON						SUMMER SEASON						FALL SEASON						WINTER SEASON						
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1887	11	11	8	30	10.0	1887	10	12	14	36	12.0	1887	5	11	7	23	7.7	1887	-88.	15	9	12	36	12.0
1888	16	8	20	44	14.7	1888	7	7	10	24	8.0	1888	19	12	7	38	12.7	1888	-89.	5	13	11	29	9.7
1889	13	13	13	39	13.0	1889	14	19	11	44	14.7	1889	12	13	16	41	13.7	1889	-90.	3	9	15	27	9.0
1890	14	11	14	39	13.0	1890	12	11	13	36	12.0	1890	10	15	4	29	9.7	1890	-91.	9	10	19	38	12.7
1891	18	8	13	39	13.0	1891	10	16	16	42	14.0	1891	8	11	10	29	9.7	1891	-92.	12	12	13	37	12.3
1892	17	14	13	44	14.7	1892	8	10	8	26	8.7	1892	9	2	10	21	7.0	1892	-93.	5	9	12	26	8.7
1893	9	13	8	30	10.0	1893	11	12	9	32	10.7	1893	12	9	7	28	9.3	1893	-94.	10	14	12	36	12.0
1894	9	8	14	31	10.3	1894	9	14	12	35	11.7	1894	9	9	10	28	9.3	1894	-95.	10	14	5	29	9.7
1895	13	14	16	43	14.3	1895	11	10	11	32	10.7	1895	4	4	9	17	5.7	1895	-96.	10	8	9	27	9.0
1896	12	7	14	33	11.0	1896	13	15	4	32	10.7	1896	12	4	7	23	7.7	1896	-97.	5	8	13	26	8.7
1897	9	7	14	30	10.0	1897	12	14	6	32	10.7	1897	7	12	8	27	9.0	1897	-98.	10	11	6	27	9.0
1898	15	12	20	47	15.7	1898	12	17	12	41	13.7	1898	6	15	13	34	11.3	1898	-99.	10	13	15	38	12.7
1899	13	4	13	30	10.0	1899	8	10	10	28	9.3	1899	10	7	5	22	7.3	1899	1900	9	9	14	32	10.7
1900	12	6	8	26	8.7	1900	10	8	10	28	9.3	1900	7	9	9	25	8.3	1900	-01.	5	8	7	20	6.7
1901	10	14	19	43	14.3	1901	7	9	14	30	10.0	1901	8	4	5	17	5.7	1901	-02.	11	7	9	27	9.0
1902	10	6	12	28	9.3	1902	7	13	7	27	9.0	1902	8	8	6	22	7.3	1902	-03.	14	11	8	33	11.0
1903	10	13	10	33	11.0	1903	19	8	13	40	13.3	1903	7	11	6	24	8.0	1903	-04.	5	12	11	28	9.3
1904	10	10	9	29	9.7	1904	11	14	12	37	12.3	1904	3	3	4	10	3.3	1904	-05.	15	10	12	37	12.3
1905	10	12	14	36	12.0	1905	11	15	11	37	12.3	1905	8	5	7	20	6.7	1905	-06.	13	11	8	32	10.7
1906	15	9	7	31	10.3	1906	17	17	14	48	16.0	1906	8	15	5	28	9.3	1906	-07.	8	10	8	26	8.7
1907	11	12	16	39	13.0	1907	12	15	12	39	13.0	1907	11	4	12	27	9.0	1907	-08.	8	9	10	27	9.0
1908	13	12	14	39	13.0	1908	9	16	14	39	13.0	1908	6	6	2	14	4.7	1908	-09.	12	11	11	34	11.3
1909	12	10	9	31	10.3	1909	16	5	11	32	10.7	1909	7	5	5	17	5.7	1909	-10.	6	12	10	28	9.3
1910	6	13	15	34	11.3	1910	14	9	14	37	12.3	1910	9	10	6	25	8.3	1910	-11.	9	13	10	32	10.7
1911	13	14	5	32	10.7	1911	11	3	14	28	9.3	1911	6	11	11	28	9.3	1911	-12.	11	9	5	25	8.3
1912	15	10	12	37	12.3	1912	11	8	9	28	9.3	1912	9	5	5	19	6.3	1912	-13.	13	13	6	32	10.7
1913	11	7	11	29	9.7	1913	9	12	10	31	10.3	1913	9	13	5	27	9.0	1913	-14.	7	7	12	26	8.7
1914	13	7	5	25	8.3	1914	11	13	12	36	12.0	1914	7	8	6	21	7.0	1914	-15.	19	12	10	41	13.7
1915	7	5	11	23	7.7	1915	8	7	9	24	8.0	1915	9	7	8	24	8.0	1915	-16.	9	9	10	28	9.3
1916	13	8	12	33	11.0	1916	17	10	11	38	12.7	1916	8	4	7	19	6.3	1916	-17.	11	14	12	37	12.3
1917	16	11	10	37	12.3	1917	15	17	9	41	13.7	1917	12	10	4	26	8.7	1917	-18.	8	14	8	30	10.0
1918	16	18	10	44	14.7	1918	8	14	9	31	10.3	1918	10	5	4	19	6.3	1918	-19.	12	9	9	30	10.0
1919	13	7	13	33	11.0	1919	10	12	11	33	11.0	1919	3	9	9	21	7.0	1919	-20.	10	9	12	31	10.3
1920	9	13	8	30	10.0	1920	12	11	18	41	13.7	1920	8	2	9	19	6.3	1920	-21.	8	6	8	22	7.3

SEASONAL DAYS WITH MEASURABLE PRECIPITATION FROM 1887

YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1921	10	11	17	38	12.7	1921	8	8	7	23	7.7	1921	10	4	9	23	7.7	1921	-22.	11	10	19	40	13.3
1922	13	10	12	35	11.7	1922	17	13	14	44	14.7	1922	2	8	3	13	4.3	1922	-23.	16	13	11	40	13.3
1923	12	9	7	28	9.3	1923	9	12	12	33	11.0	1923	8	5	10	23	7.7	1923	-24.	10	7	8	25	8.3
1924	11	12	16	39	13.0	1924	20	10	8	38	12.7	1924	14	2	5	21	7.0	1924	-25.	9	14	10	33	11.0
1925	7	10	9	26	8.7	1925	11	7	11	29	9.7	1925	8	12	8	28	9.3	1925	-26.	9	12	10	31	10.3
1926	10	6	10	26	8.7	1926	11	11	13	35	11.7	1926	11	8	10	29	9.7	1926	-27.	14	9	14	37	12.3
1927	12	15	15	42	14.0	1927	5	12	12	29	9.7	1927	5	7	6	18	6.0	1927	-28.	12	7	10	29	9.7
1928	7	14	10	31	10.3	1928	16	7	15	38	12.7	1928	11	4	9	24	8.0	1928	-29.	8	13	14	35	11.7
1929	10	9	14	33	11.0	1929	9	12	10	31	10.3	1929	7	7	11	25	8.3	1929	-30.	12	14	4	30	10.0
1930	9	9	9	27	9.0	1930	10	7	6	23	7.7	1930	7	7	6	20	6.7	1930	-31.	7	4	8	19	6.3
1931	10	10	15	35	11.7	1931	8	15	15	38	12.7	1931	4	7	3	14	4.7	1931	-32.	9	12	10	31	10.3
1932	8	8	13	29	9.7	1932	9	6	6	21	7.0	1932	9	10	10	29	9.7	1932	-33.	12	10	12	34	11.3
1933	10	12	14	36	12.0	1933	6	11	17	34	11.3	1933	7	6	6	19	6.3	1933	-34.	9	8	11	28	9.3
1934	17	11	12	40	13.3	1934	10	12	14	36	12.0	1934	13	4	9	26	8.7	1934	-35.	10	9	8	27	9.0
1935	13	15	14	42	14.0	1935	14	10	10	34	11.3	1935	9	6	9	24	8.0	1935	-36.	13	12	10	35	11.7
1936	12	10	3	25	8.3	1936	12	12	9	33	11.0	1936	8	5	7	20	6.7	1936	-37.	16	22	11	49	16.3
1937	6	12	8	26	8.7	1937	13	14	14	41	13.7	1937	7	13	9	29	9.7	1937	-38.	8	12	7	27	9.0
1938	15	9	15	39	13.0	1938	16	15	6	37	12.3	1938	12	5	10	27	9.0	1938	-39.	10	8	10	28	9.3
1939	11	13	6	30	10.0	1939	10	13	11	34	11.3	1939	7	7	7	21	7.0	1939	-40.	10	7	11	28	9.3
1940	12	11	12	35	11.7	1940	11	11	17	39	13.0	1940	3	8	8	19	6.3	1940	-41.	11	8	6	25	8.3
1941	8	7	6	21	7.0	1941	11	14	4	29	9.7	1941	4	4	5	13	4.3	1941	-42.	9	10	5	24	8.0
1942	14	2	6	22	7.3	1942	11	13	18	42	14.0	1942	8	12	9	29	9.7	1942	-43.	15	6	8	29	9.7
1943	11	6	13	30	10.0	1943	9	11	6	26	8.7	1943	8	6	6	20	6.7	1943	-44.	6	7	11	24	8.0
1944	15	8	6	29	9.7	1944	5	12	10	27	9.0	1944	10	5	8	23	7.7	1944	-45.	7	10	9	26	8.7
1945	6	11	9	26	8.7	1945	8	22	8	38	12.7	1945	16	6	10	32	10.7	1945	-46.	15	11	9	35	11.7
1946	12	8	15	35	11.7	1946	12	13	12	37	12.3	1946	10	9	8	27	9.0	1946	-47.	5	14	5	24	8.0
1947	11	12	11	34	11.3	1947	10	9	7	26	8.7	1947	11	11	10	32	10.7	1947	-48.	7	13	14	34	11.3
1948	11	13	15	39	13.0	1948	10	8	11	29	9.7	1948	8	9	16	33	11.0	1948	-49.	8	15	10	33	11.0
1949	12	14	12	38	12.7	1949	11	13	15	39	13.0	1949	10	7	9	26	8.7	1949	-50.	8	8	12	28	9.3
1950	9	7	18	34	11.3	1950	7	17	8	32	10.7	1950	9	7	4	20	6.7	1950	-51.	7	8	6	21	7.0
1951	11	11	8	30	10.0	1951	11	10	8	29	9.7	1951	6	8	11	25	8.3	1951	-52.	9	12	10	31	10.3
1952	12	12	13	37	12.3	1952	8	8	13	29	9.7	1952	6	5	9	20	6.7	1952	-53.	8	13	10	31	10.3
1953	11	10	10	31	10.3	1953	11	10	6	27	9.0	1953	7	4	7	18	6.0	1953	-54.	9	11	3	23	7.7
1954	10	12	15	37	12.3	1954	6	8	10	24	8.0	1954	5	8	11	24	8.0	1954	-55.	7	6	10	23	7.7
1955	14	13	8	35	11.7	1955	8	11	14	33	11.0	1955	10	8	7	25	8.3	1955	-56.	5	10	13	28	9.3

SEASONAL DAYS WITH MEASURABLE PRECIPITATION FROM 1887

YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1956	12	10	13	35	11.7	1956	8	12	8	28	9.3	1956	12	12	8	32	10.7	1956	-57.	10	17	15	42	14.0
1957	12	8	6	26	8.7	1957	11	6	8	25	8.3	1957	11	8	13	32	10.7	1957	-58.	12	10	7	29	9.7
1958	12	9	13	34	11.3	1958	13	13	12	38	12.7	1958	3	7	10	20	6.7	1958	-59.	7	7	8	22	7.3
1959	9	12	7	28	9.3	1959	4	17	9	30	10.0	1959	6	11	10	27	9.0	1959	-60.	7	11	9	27	9.0
1960	12	7	10	29	9.7	1960	6	9	14	29	9.7	1960	8	8	5	21	7.0	1960	-61.	6	8	10	24	8.0
1961	15	11	11	37	12.3	1961	14	8	11	33	11.0	1961	10	6	8	24	8.0	1961	-62.	10	11	14	35	11.7
1962	11	9	10	30	10.0	1962	9	9	9	27	9.0	1962	10	5	10	25	8.3	1962	-63.	7	11	8	26	8.7
1963	9	5	10	24	8.0	1963	8	3	7	18	6.0	1963	10	2	10	22	7.3	1963	-64.	7	10	12	29	9.7
1964	10	13	8	31	10.3	1964	9	16	12	37	12.3	1964	7	7	5	19	6.3	1964	-65.	12	12	9	33	11.0
1965	9	14	4	27	9.0	1965	12	9	9	30	10.0	1965	7	5	5	17	5.7	1965	-66.	2	12	8	22	7.3
1966	7	6	11	24	8.0	1966	9	5	6	20	6.7	1966	11	6	6	23	7.7	1966	-67.	9	7	9	25	8.3
1967	9	6	15	30	10.0	1967	5	14	11	30	10.0	1967	5	5	4	14	4.7	1967	-68.	10	9	2	21	7.0
1968	8	8	12	28	9.3	1968	10	9	12	31	10.3	1968	3	7	12	22	7.3	1968	-69.	10	7	8	25	8.3
1969	9	10	10	29	9.7	1969	12	15	10	37	12.3	1969	7	4	7	18	6.0	1969	-70.	9	7	8	24	8.0
1970	12	10	6	28	9.3	1970	6	12	10	28	9.3	1970	4	8	11	23	7.7	1970	-71.	8	14	10	32	10.7
1971	11	5	13	29	9.7	1971	10	10	8	28	9.3	1971	5	16	6	27	9.0	1971	-72.	5	17	13	35	11.7
1972	8	11	13	32	10.7	1972	14	9	7	30	10.0	1972	10	8	13	31	10.3	1972	-73.	12	11	8	31	10.3
1973	16	8	11	35	11.7	1973	8	8	8	24	8.0	1973	8	5	6	19	6.3	1973	-74.	13	13	9	35	11.7
1974	8	7	12	27	9.0	1974	10	5	15	30	10.0	1974	9	1	5	15	5.0	1974	-75.	12	13	13	38	12.7
1975	15	12	12	39	13.0	1975	9	14	8	31	10.3	1975	13	7	6	26	8.7	1975	-76.	10	10	5	25	8.3
1976	10	4	12	26	8.7	1976	11	11	5	27	9.0	1976	8	12	5	25	8.3	1976	-77.	10	9	5	24	8.0
1977	9	5	10	24	8.0	1977	8	9	10	27	9.0	1977	6	9	14	29	9.7	1977	-78.	14	13	5	32	10.7
1978	10	7	12	29	9.7	1978	12	12	11	35	11.7	1978	4	9	10	23	7.7	1978	-79.	9	14	11	34	11.3
1979	7	9	13	29	9.7	1979	9	12	10	31	10.3	1979	13	9	8	30	10.0	1979	-80.	4	10	12	26	8.7
1980	13	12	12	37	12.3	1980	5	9	7	21	7.0	1980	8	10	8	26	8.7	1980	-81.	7	3	8	18	6.0
1981	7	11	13	31	10.3	1981	10	13	9	32	10.7	1981	6	7	4	17	5.7	1981	-82.	14	13	13	40	13.3
1982	11	9	12	32	10.7	1982	12	11	13	36	12.0	1982	5	6	9	20	6.7	1982	-83.	9	8	9	26	8.7
1983	13	10	10	33	11.0	1983	10	5	9	24	8.0	1983	8	10	7	25	8.3	1983	-84.	11	10	12	33	11.0
1984	10	9	10	29	9.7	1984	9	16	10	35	11.7	1984	10	6	6	22	7.3	1984	-85.	8	9	7	24	8.0
1985	7	7	8	22	7.3	1985	10	16	13	39	13.0	1985	4	9	12	25	8.3	1985	-86.	3	7	13	23	7.7
1986	6	8	7	21	7.0	1986	7	13	12	32	10.7	1986	7	5	11	23	7.7	1986	-87.	7	12	7	26	8.7
1987	9	11	13	33	11.0	1987	10	4	6	20	6.7	1987	9	5	8	22	7.3	1987	-88.	11	10	10	31	10.3
1988	8	10	10	28	9.3	1988	9	9	7	25	8.3	1988	7	6	9	22	7.3	1988	-89.	6	11	14	31	10.3
1989	17	12	10	39	13.0	1989	15	12	9	36	12.0	1989	9	7	9	25	8.3	1989	-90.	9	10	10	29	9.7
1990	12	10	12	34	11.3	1990	5	13	10	28	9.3	1990	6	7	6	19	6.3	1990	-91.	14	10	9	33	11.0

SEASONAL DAYS WITH MEASURABLE PRECIPITATION FROM 1887

YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE
1991	13	10	7	30	10.0	1991	9	13	9	31	10.3	1991	7	7	4	18	6.0	1991	-92.	9	8	10	27	9.0
1992	9	11	12	32	10.7	1992	8	14	11	33	11.0	1992	13	7	14	34	11.3	1992	-93.	10	12	6	28	9.3
1993	14	10	10	34	11.3	1993	6	11	7	24	8.0	1993	15	11	6	32	10.7	1993	-94.	13	15	8	36	12.0
1994	13	9	11	33	11.0	1994	10	16	10	36	12.0	1994	6	6	10	22	7.3	1994	-95.	8	9	5	22	7.3
1995	11	8	11	30	10.0	1995	9	10	4	23	7.7	1995	7	9	8	24	8.0	1995	-96.	8	15	9	32	10.7
1996	12	10	14	36	12.0	1996	7	15	6	28	9.3	1996	14	10	11	35	11.7	1996	-97.	15	7	12	34	11.3
1997	9	11	7	27	9.0	1997	9	8	5	22	7.3	1997	8	11	10	29	9.7	1997	-98.	10	13	13	36	12.0
1998	9	9	16	34	11.3	1998	14	13	8	35	11.7	1998	9	3	8	20	6.7	1998	-99.	14	8	9	31	10.3
1999	10	10	8	28	9.3	1999	12	9	8	29	9.7	1999	14	7	4	25	8.3	1999	-00.	7	7	7	21	7.0
2000	9	11	10	30	10.0	2000	11	12	14	37	12.3	2000	12	1	6	19	6.3	2000	-01.	9	9	11	29	9.7
2001	11	9	11	31	10.3	2001	10	8	8	26	8.7	2001	5	2	3	10	3.3	2001	-02.	10	13	4	27	9.0
2002	13	13	7	33	11.0	2002	6	7	8	21	7.0	2002	7	12	8	27	9.0	2002	-03.	9	8	14	31	10.3
2003	12	12	23	47	15.7	2003	15	18	12	45	15.0	2003	8	8	9	25	8.3	2003	-04.	10	8	6	24	8.0
2004	8	12	10	30	10.0	2004	12	18	14	44	14.7	2004	11	10	11	32	10.7	2004	-05.	8	12	8	28	9.3
2005	11	10	11	32	10.7	2005	8	13	9	30	10.0	2005	3	10	7	20	6.7	2005	-06.	12	9	9	30	10.0
2006	4	8	7	19	6.3	2006	17	7	7	31	10.3	2006	11	8	7	26	8.7	2006	-07.	7	10	5	22	7.3
2007	6	7	9	22	7.3	2007	14	7	9	30	10.0	2007	3	5	8	16	5.3	2007	-08.	12	8	7	27	9.0
2008	12	14	10	36	12.0	2008	11	10	6	27	9.0	2008	12	5	12	29	9.7	2008	-09.	10	8	4	22	7.3
2009	11	11	15	37	12.3	2009	10	11	9	30	10.0	2009	9	13	13	35	11.7	2009	-10.	11	8	9	28	9.3
2010	13	9	11	33	11.0	2010	6	9	11	26	8.7	2010	8	8	8	24	8.0	2010	-11.	8	11	8	27	9.0
2011	12			12	12.0	2011						2011						2011	-12.					
2012						2012						2012						2012	-13.					
Ave.	10.86	9.83	11.09	31.60	10.60	Ave.	10.29	11.15	10.17	31.61	10.54	Ave.	8.13	7.37	7.89	23.39	7.80	Ave.		9.63	10.33	9.33	29.30	9.77
Max.	17	18	23	47	15.67	Max.	20	22	18	48	16.00	Max.	16	16	16	35	11.67	Max.		19	22	19	49	16.33
Min.	4	2	3	12	6.33	Min.	4	3	4	18	6.00	Min.	2	1	2	10	3.33	Min.		2	3	2	18	6.00
SPRING SEASON						SUMMER SEASON						FALL SEASON						WINTER SEASON						
YR	MAR	APR	MAY	SUM	AVE	YR	JUN	JUL	AUG	SUM	AVE	YR	SEP	OCT	NOV	SUM	AVE	YR	YR	DEC	JAN	FEB	SUM	AVE